

An anatomical illustration of the human head and neck skeleton. The skull is shown in a three-quarter view from the front and side, with the jaw open. The cervical vertebrae of the neck are clearly visible, along with the ribs and the upper part of the thoracic cage. The illustration is rendered in a semi-transparent style, showing the underlying bone structure. The colors are primarily light blue and white, with some yellowish highlights on the skull and vertebrae. The background is black.

# HUMAN BODY I

Britannica Illustrated Science Library



## **About the pagination of this eBook**

Due to the unique page numbering scheme of this book, the electronic pagination of the eBook does not match the pagination of the printed version. To navigate the text, please use the electronic Table of Contents that appears alongside the eBook or the Search function.

For citation purposes, use the page numbers that appear in the text.

# HUMAN BODY I



**Britannica Illustrated Science Library**

Encyclopædia Britannica, Inc.

Chicago ■ London ■ New Delhi ■ Paris ■ Seoul ■ Sydney ■ Taipei ■ Tokyo

# Britannica Illustrated Science Library

© 2008 Editorial Sol 90

All rights reserved.

**Idea and Concept of This Work:** Editorial Sol 90

**Project Management:** Fabián Cassan

**Photo Credits:** Corbis, ESA, Getty Images, Graphic News, NASA, National Geographic, Science Photo Library

**Illustrators:** Guido Arroyo, Pablo Aschei, Carlos Francisco Bulzomi, Gustavo J. Caironi, Hernán Cañellas, Leonardo César, José Luis Corsetti, Vanina Farías, Manrique Fernández Buente, Joana Garrido, Celina Hilbert, Inkspot, Jorge Ivanovich, Iván Longuini, Isidro López, Diego Martín, Jorge Martínez, Marco Menco, Marcelo Morán, Ala de Mosca, Diego Mourellos, Laura Mourellos, Pablo Palastro, Eduardo Pérez, Javier Pérez, Ariel Pirovansky, Fernando Ramallo, Ariel Roldán, Marcel Socias, Néstor Taylor, Trebol Animation, Juan Venegas, Constanza Vicco, Coralia Vignau, Gustavo Yamin, 3DN, 3DOM studio

**Composition and Pre-press Services:** Editorial Sol 90

**Translation Services and Index:** Publication Services, Inc.

**Portions © 2008 Encyclopædia Britannica, Inc.**

Encyclopædia Britannica, Britannica, and the thistle logo are registered trademarks of Encyclopædia Britannica, Inc.

## Britannica Illustrated Science Library Staff

### Editorial

Michael Levy, *Executive Editor, Core Editorial*

John Rafferty, *Associate Editor, Earth Sciences*

William L. Hosch, *Associate Editor, Mathematics and Computers*

Kara Rogers, *Associate Editor, Life Sciences*

Rob Curley, *Senior Editor, Science and Technology*

David Hayes, *Special Projects Editor*

### Art and Composition

Steven N. Kapusta, *Director*

Carol A. Gaines, *Composition Supervisor*

Christine McCabe, *Senior Illustrator*

### Media Acquisition

Kathy Nakamura, *Manager*

### Copy Department

Sylvia Wallace, *Director*

Julian Ronning, *Supervisor*

### Information Management and Retrieval

Sheila Vasich, *Information Architect*

### Production Control

Marilyn L. Barton

### Manufacturing

Kim Gerber, *Director*

## Encyclopædia Britannica, Inc.

Jacob E. Safra, *Chairman of the Board*

Jorge Aguilar-Cauz, *President*

Michael Ross, *Senior Vice President, Corporate Development*

Dale H. Hoiberg, *Senior Vice President and Editor*

Marsha Mackenzie, *Director of Production*

International Standard Book Number (set):

978-1-59339-797-5

International Standard Book Number (volume):

978-1-59339-809-5

Britannica Illustrated Science Library: Human Body I 2008

Printed in China



www.britannica.com


# Human Body I



# Contents

## What Are We Made Of?

Page 6



## Bones and Muscles

Page 18



## Internal Systems and Organs

Page 34




## The Senses and Speech

Page 68



## Control Centers

Page 80



#### A LIVING STRUCTURE

The skeleton consists of 206 separate bones, which differ in form, size, and name. It supports and shapes the body, protects the internal organs, and—in the bone marrow of certain bones—manufactures various types of blood cells.


## A Perfect Machine

How can we understand what we are? What are we made of? Are we aware that all that we do—including reading this book—is the work of a marvelous machine? We know very little about how we are able to be conscious of our own actions; nevertheless, even though we are usually not very aware of it, this community of organs that is the body—an integrated system that includes the brain, heart, lungs, liver, kidneys, muscles, bones, skin, and endocrine glands—acts together in exquisitely regulated harmony. It is interesting that various mechanisms work together to keep the temperature of the body at 98.6° F (37° C); thanks to the dynamic structure of bones and cartilage, the body is maintained in perfect balance. The body also has a fantastic ability to transform the food it ingests into living tissues, bones, and teeth, all of which contribute to its growth. By this same process, we obtain the energy for working and playing. It is hard to imagine that not long ago the cells of the body of the person reading this book were autonomous and were duplicating themselves freely within the walls of a mother's uterus. Certainly no one reading this book could recognize herself or himself in those cells. Nevertheless, each cell carried within it the information necessary for the development of that person. Everything that happens inside us is truly fascinating. Therefore, we invite you to enjoy this book. It is full of incredible facts and illustrations that will show you the complex ways each part of the body works.

What are cells like, and how do they form tissue? What is blood, and why are proteins so important? The heart, usually thought of as the wellspring of love and the emotions, is actually the engine of the circulatory system. It is because of the heart that all the cells of the body receive a constant supply of nutrients, oxygen, and other essential substances. The heart is so powerful that it pumps about 10 pints (4.7 l) of blood per minute. The nervous system is the most intricate of all the body's systems. It works

every second of every day, gathering information about the organism and its surroundings and issuing instructions so that the organism can react. It is this computer that permits us to think and remember and that makes us who we are.

The nervous system is a complex network of sensory cells, originating in the brain and spinal cord, that transmits signals throughout the body, employing a caravan of chemical messengers to make sense of this marvelous complex that we catalogue as touch, taste, smell, hearing, and vision. In fact, at this precise moment, because of an extraordinary relationship between our eyes and our brain, we are able to see and understand what we are reading. Modern cameras are designed on the same basic principles as our eye, but they have never been able to equal the visual power of the eye. The focus and the automatic aperture of the human eye are perfect. Our ears share a similar complexity and allow us to have excellent hearing. The external ear operates by receiving sound waves in the air. Sound waves travel through the auditory canal and are transmitted by the bones of the intermediate ear toward the cochlea, which contains liquid and is spiraled like the shell of a small sea snail. The cochlea converts waves of air into vibrations of liquid, which are detected by special filaments in the ear that are of many lengths and that detect sound waves of different lengths. These filaments then transmit nerve impulses to the brain and provide us with our ability to interpret what we hear. This book will also tell you about the function of our skin, the largest organ of the body, which serves as an elastic barrier covering and protecting everything inside our bodies. Captivating images will show you how each of our extraordinary body systems function, and incredible facts will help you understand why the human body is so amazing. ●



# What Are We Made Of?

## MITOSIS

An enlarged view that shows the process of mitosis, the most common form of cellular division


## UNDIVIDED ATTENTION 8-9

WATER AND LIQUIDS 10-11

THE CELL 12-13

MITOSIS 14-15

SYSTEMS OF THE BODY 16-17



To understand the truest and most elementary characteristics of life, we must begin with the cell—the tiny organizing structure of life in all its forms.

Most cells are too small to be observed with the naked eye, but they can be distinguished easily through an ordinary microscope. Human body tissues are groups of cells whose size

and shape depend on the specific tissue to which they belong. Did you know that an embryo is a mass of rapidly dividing cells that continue to develop during infancy? We invite you

to turn the page and discover many surprising things in this fascinating and complex world. ●


## Neurons

Each neuron in the brain can be connected with several thousand other neurons and is capable of receiving 100,000 signals per second. The signals travel through the nervous

system at a speed of 225 miles per hour (360 km/h). Thanks to this complex communication network, the brain is capable of remembering, calculating, deciding, and thinking.

### DENDRITES

They are the branches through which a neuron receives and sends messages. With this system each neuron can be stimulated by thousands of other neurons, which in turn can stimulate other neurons, and so forth.



## Undivided Attention

From birth the infant's brain cells develop rapidly, making connections that can shape all of life's experiences. The first three years are crucial. When neurons receive visual, auditory, or gustatory stimuli, they send messages that generate new physical connections with neighboring cells. The signals are sent through a gap called a synapse by means of a complex electrochemical process. What determines the formation of a person's synapses and neural networks? One key factor is believed to be the undivided attention and mental effort exerted by the person.

## Learning

Each child has his or her own intellectual filter; the quality of the filter depends on undivided attention and on how the child responds to a broad variety of stimuli.

**225 miles per hour**  
(360 km/h)  
THE VELOCITY OF THE NERVOUS SYSTEM'S SIGNALS

## Brain

At birth the infant brain contains 100 billion neurons. That is about as many nerve cells as there are stars in the entire Milky Way Galaxy! Then as the infant receives messages from the senses, the cerebral cortex begins its dynamic development.

**3 pounds**  
(1.4 kg)

IS THE WEIGHT OF A HUMAN BRAIN.

## Respiration

Respiration is usually an involuntary, automatic action that allows us to take in the oxygen we need from the air and exhale carbon dioxide. These gases are exchanged in the pulmonary alveoli.

### A WORLD OF SENSATIONS

The tongue recognizes four tastes (sweet, salty, sour, and bitter), and the nasal fossas contain cells that have more than 200 million filaments, called cilia, which are capable of detecting thousands of odors.

### THE SENSE OF TOUCH

It is predominant in the fingers and hands. The information is transmitted through neurotransmitters, nerves that carry these impulses to the brain and that serve to detect sensations such as cold, heat, pressure, and pain.

### SKIN

The skin is one of the most important organs of the body. It contains approximately five million tiny nerve endings that transmit sensations.



# Water and Fluids

Water is of such great importance that it makes up almost two thirds of the human body by weight. Water is present in all the tissues of the body. It plays a fundamental role in digestion and absorption and in the elimination of indigestible metabolic waste. Water also serves as the basis of the circulatory system, which uses blood to distribute nutrients to the entire body. Moreover, water helps maintain body temperature by expelling excess heat through the skin via perspiration and evaporation. Perspiration and evaporation of water account for most of the weight a person loses while exercising. ●

## Water Balance and Food

In its continuous process of taking in and eliminating water, one of the most important functions of the body is to maintain a continuous equilibrium between the water that enters and the water that leaves the body. Because the body does not have an organ or other place for storing water, quantities that are lost must be continuously replenished. The human body can survive for several weeks without taking in food, but going without water for the same length of time would have tragic consequences. The human being takes in about 2.5 to 3 quarts (2.5-3 l) of water per day. About half is taken in by drinking, and the rest comes from eating solid food. Some foods, such as fruits and vegetables, consist of 95 percent water. Eggs are 90 percent water, and red meat and fish are 60 to 70 percent water.

### HOW WATER IS ABSORBED

Water for the body is obtained primarily by drinking and ingesting food and through internal chemical reactions.

### HOW WATER IS ELIMINATED

Water is expelled not only with urine but also with sweat, through the elimination of feces, and through evaporation from the lungs and skin.



**50%** of the water comes from ingesting fluids.

**60%** is eliminated with urine.

**35%** of the water is obtained from food.

**18%** is eliminated by sweating and through evaporation from the skin.

**15%** comes from metabolic activities.

**14%** is eliminated during exhalation by the lungs.

**8%** is eliminated in excrement.

# 60%

THE PERCENTAGE OF A PERSON'S WEIGHT THAT IS DUE TO WATER. IN GENERAL, A 10 PERCENT LOSS OF WATER LEADS TO SERIOUS DISORDERS, AND A LOSS OF 20 PERCENT RESULTS IN DEATH.

### HOW THIRST IS CONTROLLED

Thirst is the sensation through which the nervous system informs its major organ, the brain, that the body needs water. The control center is the hypothalamus. If the concentration of plasma in the blood increases, it means the body is losing water. Dry mouth and a lack of saliva are also indications that the body needs water.

## Chemical Elements

The body contains many chemical elements. The most common are oxygen, hydrogen, carbon, and nitrogen, which are found mainly in proteins. Nine chemical elements are present in moderate amounts, and the rest (such as zinc) are present only in very small amounts, so they are called trace elements.

**Mg**

**MAGNESIUM 0.05%**  
Lungs, kidneys, liver, thyroid, brain, muscles, heart

**Ca**

**CALCIUM 1.5%**  
Bones, lungs, kidneys, liver, thyroid, brain, muscles, heart

**Na**

**SODIUM 0.15%**  
Fluids and tissues, in the form of salt

**Cl**

**CHLORINE 0.2%**  
maintains the equilibrium of water in the blood.

**K**

**POTASSIUM 0.3%**  
Nerves and muscles; inside the cell

**P**

**PHOSPHORUS 1%**  
Urine, bones

**S**

**SULFUR 0.3%**  
Contained in numerous proteins, especially in the contractile proteins

**Fe**

**0.004% IRON**  
Fluids and tissues, bones, proteins. An iron deficiency causes anemia, whose symptoms include fatigue and paleness. Iron is essential for the formation of hemoglobin in the blood.

**I**

**0.0004% IODINE**  
Urine, bones. When consumed, iodine passes into the blood and from there into the thyroid gland. Among its other functions, iodine is used by the thyroid to produce growth hormones for most of the organs and for brain development.


**C 18% CARBON**  
Present in all organic molecules

**H 10% HYDROGEN**  
Present in water, nutrients, and organic molecules

**N 3% NITROGEN**  
Present in proteins and nucleic acids

## Proteins

Proteins are formed through the combination of the four most common chemical elements found in the body. Proteins include insulin, which is secreted by the pancreas to regulate the amount of sugar in the blood.



**O 65% OXYGEN**  
Present in water and in almost all organic molecules

# The Cell

It is the smallest unit of the human body—and of all living organisms—able to function autonomously. It is so small that it can be seen only with a microscope. Its essential parts are the nucleus and cytoplasm, which are surrounded by a membrane. Each cell reproduces independently through a process called mitosis. The animal kingdom does have single-celled organisms, but in a body such as that of a human being millions of cells are organized into tissues and organs. The word "cell" comes from Latin; it is the diminutive of *cella*, which means "hollow." The science of studying cells is called cytology. ●

## Cell Theory


Before the invention of the microscope, it was impossible to see cells. Some biological theories were therefore based on logical speculations rather than on observation. People believed in "spontaneous generation" because it was inconceivable that cells would regenerate. The development of the microscope, including that of an electronic version in the 20th century, made detailed observation of the internal structure of the cell possible. Robert Hooke was the first to see dead cells in 1665. In 1838 Mathias Schleiden observed living cells, and in 1839, in collaboration with Theodor Schwann, he developed the first theory of cells: that all living organisms consist of cells.



**THEODOR SCHWANN**




**MATHIAS SCHLEIDEN**






### UNDER THE MICROSCOPE

This cell has been magnified 4,000 times with an electron microscope. The nucleus is clearly visible, along with some typical organelles in the green-colored cytoplasm.



## TRANSPORT MECHANISMS

The cell membrane is a semipermeable barrier. The cell exchanges nutrients and waste between its cytoplasm and the extracellular medium via passive and active transport mechanisms.



## Mitochondria

The mitochondria provide large amounts of energy to the cell. They contain a variety of enzymes that, together with oxygen, degrade products derived from glycolysis and carry out cellular respiration. The amount of energy obtained in this process is almost 20 times as great as that released by glycolysis in the cytoplasm. Mitochondria are very different from other organelles because they have a unique structure: an external membrane enclosing an internal membrane with a great number of folds that delimit the internal area, or mitochondrial matrix. In addition, the mitochondria have a circular chromosome similar to that of bacteria that allows the mitochondria to replicate. Cells that need a relatively large amount of energy have many mitochondria because the cells reproduce frequently.



**100 billion**

THE AVERAGE NUMBER OF CELLS IN THE BODY OF AN ADULT. ONE CELL ALONE CAN DIVIDE UP TO 50 TIMES BEFORE DYING.

# Mitosis

It is the cell-division process that results in the formation of cells that are genetically identical to the original (or mother) cell and to each other. The copies arise through replication and division of the chromosomes, or genetic material, in such a way that each of the daughter cells receives a similar inheritance of chromosomes. Mitosis is characteristic of eukaryotic cells. It ensures that the genetic information of the species and the individual is conserved. It also permits the multiplication of cells, which is necessary for the development, growth, and regeneration of the organism. The word "mitosis" comes from the Greek *mitos*, which means "thread," or "weave."

## Antioxidants



Antioxidants are various types of substances (vitamins, enzymes, minerals, etc.) that combat the pernicious effects of free radicals—molecules that are highly reactive and form as a result of oxidation (when an atom loses an electron), which is often caused by coming into contact with oxygen. A consequence of this oxidative action is the aging of the body. One action of antioxidants is the regulation of mitosis. Preventive geriatrics has focused on using antioxidants to prevent disease and to slow aging, in part because properly regulated mitosis is fundamental to these processes.

# 50,000

THE ESTIMATED NUMBER OF CELLS REPLACED EVERY SECOND IN THE HUMAN BODY THROUGH CELLULAR DIVISION

## The Ever-Changing Skin


Mitosis, or cellular division, occurs intensely within the skin, a fundamental organ of the sense of touch. The dead cells on the surface are continuously being replaced by new cells, which are produced by mitosis in the lowest, or basal, layer. From there the cells move upward until they reach the epidermis, the outer layer of the skin. A person typically sheds 30,000 dead skin cells every minute.




**1. INTERPHASE**  
An independent stage that precedes mitosis. The chromatin consists of DNA.




**2. PROPHASE**  
In prophase the chromatin condenses to form chromosomes. The karyotheca (nuclear envelope) begins to disappear. Chromosomes are formed by two chromatids that are joined together by a centromere.



**3. METAPHASE**  
It is characterized by the appearance of the spindle. The centromere—the "center" of each chromosome—and the chromatids are joined together and align at the center of the spindle complex. The nuclear membrane disappears.



**4. ANAPHASE**  
In this crucial stage the copies of genetic information separate: the chromatids move apart and form sister chromosomes that migrate to opposite poles of the cell.



**5. TELOPHASE**  
The spindle disappears, and a new nuclear membrane begins to form around each new set of chromosomes. The membrane divides, resulting in two new cells that are identical daughters of the original cell.



## Limit

50 MITOSES MARK THE LIFETIME OF A CELL AND ARE KNOWN AS THE "HAYFLICK LIMIT." THIS IDEA IS NAMED AFTER LEONARD HAYFLICK, WHO IN 1961 DISCOVERED THAT THE SECTION OF DNA CALLED THE TELOMERE INFLUENCES CELL LIFE SPAN.

# Systems of the Body

The body has various systems with different functions. These functions range from reproducing a cell to developing a new human being, from circulating the blood to capturing oxygen from the air, and from processing food through grinding and chemical transformations to absorbing nutrients and discarding waste. These functions act in harmony, and their interaction is surprisingly efficient. ●

## Circulatory System

This system carries blood to and from the heart and reaches the organs and cells in every part of the body. The supreme pump—the heart—drives the vital fluid—blood—through the arteries and collects it by means of the veins, with a continuous driving impulse that makes the heart the central engine of the body. **See page 36.**

## Skeletal System

The skeleton, or skeletal system, is a solid structure consisting of bones that are supported by ligaments and cartilage. The main functions of the system are to give the body form and to support it, to cover and protect the internal organs, and to allow motion to occur. The skeleton also generates red blood cells (called erythrocytes). **See page 20.**

## Nervous System

The central nervous system consists of the brain, which is the principal organ of the body, along with the spinal cord. The peripheral nervous system consists of the cranial and spinal nerves. Together they send external and internal sensations to the brain, where the sensations are processed and responded to whether the person is asleep or awake. **See page 82.**

## Reproductive System

### FEMALE

A woman's internal organs are the vagina, the uterus, the ovaries, and the fallopian tubes. The basic functions of these organs are the production of ova and the facilitation of fertilization of an ovum by a spermatozoon (a mature male sperm cell). When fertilization occurs, it sets a group of processes in motion that result in pregnancy. **See page 66.**

### MALE

The various male organs contribute one of the two cells needed to create a new human being. Two testicles (or gonads) and a penis are the principal organs of the system. The system is continuously active, producing millions of tiny cells called spermatozoa. **See page 64.**

## Lymphatic System

Its basic functions are twofold. One is to defend the body against foreign organisms, such as bacteria or viruses. The other is to transport interstitial fluid and substances from the digestive system into the bloodstream via the lymphatic drainage system. **See page 42.**

## Respiratory System

Air from the external world enters the body through the upper airways. The central organs, the lungs, absorb oxygen and expel carbon dioxide. The lungs send oxygenated blood to all the cells via the circulatory system and in turn receive blood that requires purification. **See page 46.**

## Endocrine System

The endocrine system is formed by glands that are distributed throughout the body. Its primary function is to produce approximately 50 hormones, the body's chemical messengers. The endocrine system secretes the hormones into the bloodstream so that they can reach the organs they are designed to influence, excite, or stimulate for such activities as growth and metabolism. **See page 62.**

## Muscular System

Its function is to define the shape of the organism and protect it. The muscular system is essential for producing movement. It consists of muscles, organs made of fleshy tissue, and contractile cells. There are two types of muscles: striated and smooth. Striated muscles are attached to the bones and govern voluntary movement. Smooth muscles also obey the brain, but their movement is not under voluntary control. The myocardium, the muscle tissue of the heart, is unique and is in a class by itself. **See page 30.**

## Digestive System

This system is a large tract that changes form and function as it goes from the mouth to the rectum and anus, passing through the pharynx, the esophagus, the stomach, and the small and large intestines. The liver and pancreas help process ingested food to extract its chemical components. Some of these components are welcome nutrients that are absorbed by the system, but others are useless substances that are discarded and eliminated. **See page 50.**

## Urinary System

This system is a key system for homeostasis—that is, the equilibrium of the body's internal conditions. Its specific function is to regulate the amount of water and other substances in the body, discarding any that are toxic or that form an unnecessary surplus. The kidneys and the bladder are the urinary system's principal organs. The ureters transport the urine from the kidneys to the bladder, and the urethra carries the urine out of the body. **See page 58.**



# Bones and Muscles

## MUSCLES OF THE THORAX

They play an important role in breathing by facilitating the contraction and expansion of the thoracic cavity.

## SKELETON 20-21

## BONE TISSUE 22-23

## CRANIUM AND FACE 24-25

## THE GREAT AXIS OF THE BODY 26-27

## JOINTS 28-29

## MUSCULAR SYSTEM 30-31

## MUSCLE FIBER 32-33



The musculoskeletal system consists of the skeletal system of bones, attached to each other by ligaments to form joints, and the skeletal muscles, which use

tendons to attach muscles to bone. The skeleton gives resistance and stability to the body and serves as a support structure for the muscles to work and produce movement. The bones also

serve as a shield to protect the internal organs. In this chapter you will see in detail—even down to the inside of a muscle fiber—how each part works. Did you know that bones are constantly

being regenerated and that, besides supporting the body, they are charged with producing red blood cells? In this chapter you will find incredible images, curiosities, and other information. ●

# Skeleton

The skeleton, or the skeletal system, is a strong, resistant structure made up of bones and their supporting ligaments and cartilage. The skeleton gives the body form and structure, covers and protects the internal organs, and makes movement possible. The bones store minerals and produce blood cells in the bone marrow. ●

## Well-Defined Form

The structure of the skeleton can be described as a vertical column of chained vertebrae with a pair of limbs at each end and topped off by the cranium. The upper limbs, or arms, are connected to the shoulder blades and clavicles in what is called the scapular belt, and the lower limbs, or legs, are connected at the hips, or pelvic belt. The joints reach such a level of perfection that modern engineering often uses them as a model in the study of levers when designing such objects as cranes or desk lamps. Although the bones that make up the skeleton are solid, they have a flexible structure and to a large degree consist of spongy tissue. Nevertheless, a small bone is capable of supporting up to 9 tons without breaking. A comparable weight would crush a block of concrete. For a long time anatomists thought that bones themselves were not alive and that their strength merely provided support for the other organs. Modern medicine recognizes that bones are actively living, furnished with nerves and supplied with blood.

**PHALANGES**  
The bones of the fingers

**METACARPALS**  
The bones of the palm of the hand

**CARPALS**  
The bones of the wrist

**STERNUM**  
Connected to the ribs by bands of cartilage

**PELVIS**  
Contains and supports the abdominal organs

## Types of Bones

Depending on their characteristics, such as size or shape, the bones of the human body are generally classified as follows:

**SHORT BONES:** have a spherical or conical shape. The heel bone is a short bone.

**LONG BONES:** have a central section that lies between two end points, or epiphyses. The femur is a long bone.

**FLAT BONES:** form thin bony plates. Most bones of

the cranium are flat bones.

**IRREGULAR BONES:** take various shapes. The sphenoids ("wedgelike" bones) in the skull are irregular bones.

**SESAMOID BONES:** are small and round. The patella and the bones between tendons and in the joints of the hands and feet are sesamoid bones.

## Leonardo

In the Renaissance, the cradle of modernity, Leonardo da Vinci was one of the first to make precise drawings of human bones. Such drawings were needed for studying anatomy since there were no photographs or X-rays.

17 inches  
(43 cm)

THE SIZE OF THE LARGEST BONE OF THE BODY, THE FEMUR

## Axial Bones

The body has 80 of these bones, which belong to the part of the skeleton formed by the spinal column, the ribs, and the cranium.

208 bones

The total number of bones in the body is between 206 and 208, depending on the individual. The variation occurs with the supernumerary bones (bones of the skull) and the sesamoids (bones found in the joints of the hands and feet or embedded within tendons).


**TARSALS**  
Ankle bones

**METATARSALS**  
Five small bones between the ankle and the toes

**TIBIA**  
The bone that supports most of the weight of the lower part of the leg


## Sexual Differences

Bone structure is basically the same for both sexes. In women, though, the center opening of the pelvis is larger in order for an infant's head to pass through it during childbirth. The pelvic girdle is formed by two coxal, or hip, bones, which are joined in the rear with the sacral bone and are fused together in the front in the pubis. The pelvic girdle is involved in the joining of the hips, where it connects to the femur (thigh bone), serving the function of transmitting weight downward from the upper part of the body. The pelvic girdle and sacrum form the pelvis, which contains the organs of the digestive, reproductive, and urinary systems.



**SACRUM**

**COXALS**



**SACROILIAC**  
The joint that transmits the weight of the body from the spinal column to the pelvis

## Appendicular Bones

THESE COMPRISE THE OTHER 126 BONES: THOSE OF THE ARMS, SHOULDERS, HIPS, AND LEGS. THESE BONES PERMIT A GREAT RANGE OF MOTION.

0.12 inches  
(3 mm)

THE LENGTH OF THE SHORTEST BONE OF THE BODY. IT IS THE STIRRUP, A BONE IN THE EAR.


**KNEECAP**  
The knee bone, or patella, which is enveloped by tendons

**FEMUR**  
The thigh bone, the largest bone in the body. It extends from the hip to the knee.

**FIBULA**  
The thin outside bone of the lower part of the leg

**PHALANGES**  
Bones of the toes

**CALCANUM**  
Heel bone, the largest bone of the foot



# Bony Tissue

The primary mission of the bones is to protect the organs of the body. Bones are solid and resilient, which allows them to endure blows and prevent damage to the internal organs. The hard exterior is balanced by the internal spongy part. Over a person's lifetime bones are continuously regenerated; this process continues even after a person reaches maturity. Besides supporting the body and enabling movement, the bones are charged with producing red globules: thousands of millions of new cells are produced daily in the bone marrow, in a never-ending process of replacing old cells. ●

## Calcium and Marrow

All the hard parts that form the skeleton in vertebrates, such as the human being, are called bones. They may be hard, but they are nevertheless formed by a structure of living cells, nerves, and blood vessels, and they are capable of withstanding pressure of up to 1,000 pounds (450 kg). Because of their constitution and characteristics, they can mend themselves when fractured. A resistant exterior layer called the periosteum covers the outside of the compact bone. The endosteum, a thin layer of connective tissue lining the interior cavity of bone, contains the trabecular, or spongy mass, which is characterized by innumerable pores. The bone marrow, located in the center of the large bones, acts as a virtual red blood-cell factory and is also known as the medulla ossea. Minerals such as calcium go into making the bones. The fact that calcium is found in foods such as milk explains why healthy bones are usually associated with drinking a lot of milk. Calcium and phosphorous, among other chemical substances, give bones strength and rigidity. Proteins such as collagen provide flexibility and elasticity.



## Bone Marrow

A soft, fatty substance that fills the central cavities and produces red blood cells. Over time bone marrow in the large bones loses its ability to produce red blood cells.

**COMPACT BONE**  
Exterior covering, dense and heavy. It is one of the hardest materials in the body.

**PERIOSTEUM**  
A thin membrane that covers the exterior surface of the bone

**BLOOD VESSELS**  
carry blood to and from the bones to the rest of the body.

**ARTERY**  
**VEIN**

**DIAPHYSIS**  
contains the bone marrow, which produces red blood cells and has a network of blood vessels.

## Canals


The structure of compact bone, showing concentric rings, or laminae, and canals called Havers conduits.

## Spongy Bone


Internal layer of the bone. It is a network in the form of a honeycomb consisting of struts or rigid partitions called trabeculae, with spaces or cavities between them.

## TWO TYPES OF BONE CELLS

The osseous tissue consists of two types of cells, osteoblasts and osteoclasts. Both are produced by the bone marrow, and their interaction and equilibrium ensure the integrity and continuous renewal of the bone. An osteoclast reabsorbs bone tissue, leaving empty spaces, and an osteoblast fills them. The function of the osteocytes, a variant of the osteoblasts, is to maintain the shape of the bone.



**OSTEOBLAST**  
produces osseous, or bone, tissue, which maintains the strength of the bone.




**OSTEOCLAST**  
breaks down the tissue so that it can be replaced with newer tissue.


## WHY FRACTURES HEAL

Bone has great regenerative capacity. Bone tissue has an extraordinary ability to repair itself after a fracture through processes that include the


relatively rapid generation of cells. Medicine can guide these processes to cure other lesions, deformities, etc.




**A**  
A fracture occurs, and the blood cells coagulate to seal the broken blood vessels.



**C**  
Within one to two weeks new spongy bone develops on a base of fibrous tissue. The spaces created by the fracture are filled, and, finally, the ends are fused.



**B**  
Over a few days a fibrous mesh forms, which closes the ends of the bone and replaces the coagulate.




**D**  
Within two to three months, new blood vessels develop. Compact bone forms on the bony callous.


## Evolution of Bone

Bone development is completed at about 18 or 20 years of age in a process that begins with an infant's bones, which are largely cartilage, and continues with the ongoing generation of bone in the


person as an adult. Calcium is an indispensable element for the healthy development of bones through this process. Until the age of six months, an intake of 0.007 ounce (210 mg) of calcium per day is recommended.



**1 IN AN INFANT**  
In a newborn infant the ends of the long bone (epiphyses) are made of cartilage. Between the bone shaft and an epiphysis, an area called a "growth plate" produces cartilage to lengthen the bone.



**2 IN A CHILD**  
In a child ossification continues to completion during epiphysis, generating long-term bone growth.



**3 IN AN ADULT**  
The process is complete when a person reaches about 18 years of age. The epiphysis, growth plates, and bone shaft fuse and become ossified into a continuous bone.

**FUSION**  
Epiphysis, growth plates, and diaphysis are transformed into continuous bone.

**DIAPHYSIS**  
Also called "bone shaft"

**EPIPHYSIS**  
The end of a long bone, which at birth consists of cartilage

**GROWTH PLATE**  
Secondary ossification centers, to aid in long-term bone growth and to shape the bones

**GROWTH PLATE**  
Continues to act, depositing bone on the diaphysis face of the growth plate

**GROWTH PLATE**  
The end of a long bone, which at birth consists of cartilage

**GROWTH PLATE**  
consists of cartilage. It deposits new bone on the diaphysis face of the growth plate so the bone will grow.

**DIAPHYSIS**  
Water is deposited in the new bone.

# Cranium and Face

The cranium surrounds and protects the brain, cerebellum, and cerebral trunk (sometimes called the encephalus). In an adult the cranium consists of eight bones that form the skull and the base of the cranium. The face is the anterior part of the skull. It consists of 14 bones, all of which are fixed except the lower maxillary, which makes up the mandible. The total number of bones in the head as a whole exceeds the total of the face and cranium (22) because it includes the little bones of the middle ear. ●

## Sutures and Fontanels

The cranium can be compared to a sphere, which consists of separate bones at birth and closes completely at maturity. The narrow separations between the bones, which appear as lines in the fetus for the first months of its life, are called sutures. Spaces called fontanels form where the sutures meet. Their separation has the functional purpose of allowing the brain to grow. Therefore, when brain growth is complete, the sphere closes tightly, because its function is to protect the brain.

## Vibration

When a person speaks, the bones of the cranium vibrate. In Japan a technology was developed based on this vibration. In 2006 the firefighters of the Madrid municipality in Spain adopted this technology. A helmet, furnished with a cranial contact microphone, amplifies the vibrations produced in the bones of the cranium during speech and sends them to radio equipment.



## Foramen Magnum

In Latin this term means "big hole." It is a circular opening, also called the occipital orifice, which is located at the base of the cranium. The foramen magnum allows for the passage of the spinal column, the medulla oblongata, the vertebral arteries, and the spinal nerve. The placement of the foramen magnum toward the bottom of the skull is associated with more highly evolved species.



### Cranial Bones (8)

**PARIETAL (2)**  
The superior and lateral parts of the cranium

**OCCIPITAL (1)**  
Together with the temporals, it forms the base of the cranium.

**FRONTAL (1)**  
It makes up the forehead.

**TEMPORAL (2)**  
The lateral part of the cranium

**SPHENOID (1)**  
The front part of the base of the cranium and part of the orbital bone (eye socket)

**ETHMOID (1)**  
Upper part of the nasal cavity

### Facial Bones (14)

**ZYGOMATIC (2)**  
The cheekbones

**PALATINES (2)**  
Internal bones that form the roof of the mouth

**LACHRYMAL BONES (2)**  
form the eye socket.


**SUPERIOR MAXILLARIES (2)**  
The upper mandible

**NASAL CONCHAS (2)**  
Independent of the ethmoid conchas

**VOMER (1)**  
divides the nasal cavity into two halves.

**NASAL BONE (2)**  
forms the bridge of the nose (the rest of the nose is cartilage).

**INFERIOR MAXILLARY (1)**  
constitutes the mandible and is the only facial bone that can move freely.



22

THE TOTAL NUMBER OF BONES IN THE CRANIUM


9 pounds (4 kg)

THE WEIGHT OF AN ADULT HUMAN HEAD

83 cubic inches (1,360 cu cm)

THE TYPICAL VOLUME OF THE CRANIUM

**FRONTAL SINUS**  
**ETHMOID SINUS**  
**SPHENOID SINUS**  
**MAXILLARY SINUS**



## Cranial Sinuses

The sinuses are air-filled cavities whose principal known function is to humidify and heat the air that enters the respiratory tract via the nose. The sinuses reduce the weight of the head, and they also act as resonance cavities, giving the voice its timbre. The sinuses are covered by a moist membrane and are connected via small openings with the interior of the nasal cavity. When the sinuses become inflamed or filled with mucus, there is a risk of infection.

# The Great Axis of the Body

The vertebral, or spinal, column is the flexible axis that lends support to the body. It consists of a series of bones jointed together in a line, or chain, called the vertebrae. The spinal column forms a protective inner channel through which the spinal cord runs. The ribs perform a similar function, wrapping and shielding the vital internal organs, which include the heart and lungs. ●

## Stability and Motion


The vertebrae have a centrum that allows them to support the body's weight, each vertebra upon the next, as well as the weight of the rest of the body. The vertebrae also have extensions that allow them to articulate with other vertebrae or act as supports for the ligaments and the muscles. This system gives the axis of the body both strength and flexibility. In addition, most of the nerves of the peripheral system (that is, those responsible for

voluntary movement, for pain, and for the sense of touch) are connected to the spinal cord inside the spinal column. In the centrum the vertebrae are separated from each other by intervertebral disks that are made of cartilage and have a gelatinous interior. When an intervertebral disk is damaged, some of this material can escape and pinch a nerve. This condition, called a herniated disk, can be very painful.

## The Ribs and the Rib Cage

The 12 pairs of ribs, which also extend from the spinal column, protect the heart, lungs, major arteries, and liver. These bones are flat and curved. The seven upper pairs are called "true ribs," and they are connected to the sternum (a flat bone consisting of fused segments) by

cartilage. The next two or three pairs (called "false ribs") are connected indirectly. The remaining pairs ("floating ribs") are not attached to the sternum. The rib cage, formed by the ribs and its muscles, is flexible: it expands and contracts during breathing.



## 33 bones

OR VERTEBRAE, MAKE UP THE SPINAL COLUMN. DEPENDING ON THE INDIVIDUAL, SOMETIMES THERE ARE 34. THEY ARE CONNECTED BY DISKS OF CARTILAGE THAT ACT AS SHOCK ABSORBERS. THE SACRUM AND THE COCCYX ARE A RUDIMENTARY TAIL LOST DURING EVOLUTION.

### TARSUS (7)

1. MEDIAL CUNEIFORM
2. INTERMEDIATE CUNEIFORM
3. LATERAL CUNEIFORM
4. TALUS
5. TARSAL SCAPHOIDS
6. CALCANEUS
7. CUBOIDS

### PHALANGES (14)

### METATARSALS (5)

## Bones of the Hands and Feet

Each hand (see the drawing below) has 27 bones, and each foot (see above) has 26. The hand has great mobility, and each of its fingers (five in all) has three phalanges (distal, medial, and proximal), except for the thumb, which has two. The complex of carpal bones makes up the wrist and is connected to the forearm. The metacarpal bone sustains the medial part. The feet function in a similar manner; the toes have first, second, and third phalanges, except for the big toe.


### CARPALS (8)

1. LUNATE
2. PISIFORM
3. TRIQUETRUM
4. TRAPEZIUM
5. TRAPEZOID
6. CAPITATE
7. SCAPHOID
8. HAMATE

### METACARPALS (5)

### CARPALS (8)

### PHALANGES (14)



**ATLAS**  
This bone is the first of the seven cervical bones; it unites the spinal column with the head.



**AXIS**  
The second cervical vertebra. Together with the atlas, it permits the movement of the head.



**CERVICAL**  
These seven vertebrae (including the atlas and the axis) support the head and the neck.



**THORACIC, OR DORSAL, VERTEBRAE**  
There are 12, and they are joined to the ribs.

### PARTS OF THE VERTEBRAE

1. SPINAL APOPHYSIS
2. TRANSVERSE APOPHYSIS (2)
3. ARTICULAR APOPHYSIS (4) (2 SUPERIOR AND 2 INFERIOR)
4. LAMINAE (2)
5. PEDICULAE (2)
6. FORAMEN MAGNUM
7. BODY



### Downwards

All the vertebrae except the cervical axis and atlas have a cylindrical body, which gives them a particular characteristic: as they approach the pelvis they tend to be longer and stronger.

### LUMBAR VERTEBRAE

There are five of them, and they bear the weight of the upper part of the body.



**SACRUM**  
This bone is formed by five fused vertebrae.

**COCCYX**  
This bone is composed of four fused vertebrae.

### BLADE

**SACRAL CANAL**  
Nerves pass through the sacral canal.



# Joints

They are the structures where two or more bones come together, either directly or by means of strong fibrous cords called ligaments. The skeleton has movement thanks to its joints. Most joints, like the knee, are synovial joints. They are characterized by mobility, versatility, and lubrication. The muscles that surround them contract to cause movement. When they work as a whole, the bones, muscles, and joints—together with the tendons, ligaments, and cartilage—constitute a grand system that governs the motor activity of the body and allows us to carry out our daily physical activities. ●

## Hypermobility

The versatility of the joints refers to their characteristic range of motion. Just as there are mobile, semimobile, and fixed joints, there is also a group of joints that are hypermobile. Such joints are less common but are easily recognizable, especially in children and adults who have not lost the flexibility of their joints. The elbows, wrists, fingers, and knees can at an early age and in certain individuals have a greater-than-normal range of motion. For people with hypermobile joints this extra range of motion can be accomplished without difficulty or risk of dislocation.

## Mobile

These are also called diarthroses; they are the joints with the greatest range of motion. The ends of the bones linked together are structured in various ways that facilitate their movement relative to each other, while ensuring the stability of the joint. Most joints in the body are of this type.

## Semimobile

Also known as amphiarthroses. The surfaces of the bone that make contact have cartilaginous tissue. One example is the vertebral joints: they have little individual movement, but as a whole they have ample flexion, extension, and rotation.

## Fixed

Also known as synarthroses. Most fixed joints are found in the cranium and have no need for motion because their primary function is to protect internal organs. They are connected by bone growth or fibrous cartilage and are extremely rigid and very tough.


### IN THE FORM OF A PIVOT

**The joint of the upper bones of the neck.** One bone is nested within the other and turns within it. This is the case of the atlas and the axis, in the upper part of the neck, which allow the head to turn from side to side. This is a limited movement.



### SPHEROID

**Articulation of the shoulder.** A bone that has a spherical end that can be inserted into another bone. The motion is extremely varied, such as that of the shoulders.



### Rotation



**BASAL JOINT**  
**The joint at the base of the thumb.** The ends of the two bones come together at a right angle. This allows them to turn, and they move backward and forward, as occurs with the thumbs.



**ELLIPSOID**  
**The joint between the humerus and the radius.** A bone with an oval end is inserted into the cavity of another bone. The motion is varied, but there is minimal rotation, as is the case for the wrists.


### HINGE

**Articulation of the knee.** One bone with a cylindrical end is inserted into the patellar groove of the other. There is flexion and extension, as in the knee.



### PLANE

**Articulation of the foot.** Two surfaces that slide, one on top of the other, forward, backward, and sideways, as in some joints of the foot and wrist.



## MOVEMENTS

The complex of joints, together with the muscles and bones, allows the body to perform numerous actions, with movements that include turns and twists.

## 1918

**IN THIS YEAR PROFESSOR KENJI TAKAGI OF JAPAN USED A CYSTOSCOPE FOR THE FIRST INTERNAL OBSERVATION OF THE KNEE.** Technological advances now permit arthroscopy to make precise observations for diagnosis.

### ARTERY

The femoral artery (artery of the femur) changes into the popliteal artery at the posterior face of the knee. Like all arteries it carries oxygenated blood from the heart.

## The Knee

The knee is the biggest joint of the body. It maintains its stability because it is constrained by four ligaments: the anterior and posterior cruciate and the internal and external lateral. The ligaments link the femur (the thigh bone) with the tibia (a bone of the leg). The knee is protected by the kneecap, a bony disk covered with cartilage that encases the anterior and superior part of the knee joint. Like the majority of the joints, it is synovial.

### EXTERNAL LIGAMENTS

Stabilize the joint during movement. The knee also has internal ligaments.

**FIBULA**  
The smallest bone of the lower leg

**FEMUR**  
The thigh bone, which is the upper region of the lower limb

**MUSCLE**

**SYNOVIAL MEMBRANE**  
produces the synovial liquid.

**KNEECAP**  
Protective bony disk covered with cartilage

**PATELLAR LIGAMENT**  
This ligament crosses over the kneecap and encases it.

**TIBIA**  
The larger of the two bones of the lower leg

Where the patellar tendon connects to the bone

**MENISCUS**  
Fibrous cartilage that helps the weight-supporting bones to absorb a blow


**MUSCLE**

# Noise

A CHARACTERISTIC OF THE JOINTS IS THAT THEY CAN MAKE A SOUND, SUCH AS THAT MADE WHEN SOMEONE CRACKS HER OR HIS KNUCKLES. THIS IS BECAUSE THERE IS AN EXPLOSIVE RELEASE OF GAS THAT PERMITS A SHOCK-ABSORBING FLUID TO FLOW IN THE JOINT.


# Muscular System

The muscles are organs formed by fleshy tissue consisting of contractile cells. They are divided into striated, smooth, and, in a unique case, cardiac (the myocardium is the muscular tissue of the heart). Muscles shape and protect the organism. The muscles of the skeleton are attached to the bones to permit voluntary movement, which is consciously directed by the brain. The smooth muscles are also directed by the brain, but their motion is not voluntary, as in the case of digestion. These muscles get most of their energy from alimentary carbohydrates, which can be stored in the liver and muscles in the form of glycogen and can later pass into the blood and be used as glucose. When a person makes a physical effort, there is an increased demand for both oxygen and glucose, as well as an increase in blood circulation. A lack of glucose leads to fatigue. ●



- FRONTAL MUSCLE**  
wrinkles the forehead.
- ORBICULAR MUSCLE**  
allows blinking.
- STERNOCLEIDOMASTOID**  
allows the head to turn and move forward.
- PECTORALIS MAJOR**  
stretches the arm forward. It turns it and brings it close to the body.
- BRACHIAL BICEP**  
bends the arm at the elbow.
- EXTERNAL OBLIQUE**  
turns the trunk and bends it to both sides.
- RECTUS ABDOMINIS**  
bends the trunk forward.

**OCCIPITAL**  
pulls the scalp backward.



**SPLENIUS**  
keeps the head erect.

**TRAPEZIUM**  
turns the head and the shoulders forward. It stabilizes the shoulders.

**DELTOID**  
A triangular muscle surrounding the shoulder. It lifts the arm to the side and causes it to swing when walking.

**BRACHIAL TRICEP**  
stretches the arm at the elbow.

**GLUTEUS MAXIMUS**  
extends from the hip to the thigh.

**FEMORAL QUADRICEPS**  
A powerful muscular complex that stretches the knee when a person runs and kicks. The quadriceps include four muscles, with their upper extremes connected to the femur and the pelvis and their lower extremes anchored in the tibia. When the muscles contract, the lower part of the leg is thrust forward.

**FEMORAL BICEP**  
bends the leg at the knee.

**GASTROCNEMIUS**  
Also called "twins." There are two, and they extend from the femur to the calcaneus. They bend the leg.

**ANTERIOR TIBIA**  
lifts the foot and is connected to the metatarsal bones of the foot.

**EXTENSOR DIGITORUM LONGUS**  
Called the "pedis," it connects to the dorsal part of the foot.

**ACHILLES TENDON**  
connects the gastrocnemius to the calcaneus bone (talus bone).

## When the Skeleton Moves

The great number of muscles of voluntary action available to the human body makes possible thousands of distinct movements. Actions from the simple blink of an eyelid to the twisting of a belt are accomplished by muscular action. The eye muscles involve the most activity because they carry out 100,000 movements per day. Some 30 muscles control all the movements of the face and define an infinite possible combination of facial expressions. It is calculated that to pronounce one word, the organs for speech and respiration move some 70 muscles. The stirrup muscle, which controls the stirrup of the ear, is one of the smallest in the body. It measures approximately 0.05 inch (1.2 mm). There are other muscles that are very large, including the latissimus dorsi of the shoulder. The foot has 40 muscles and more than 200 ligaments. Because the muscles are connected by a great number of nerves, a lesion or blow causes the brain to react,

producing pain. Approximately 40 percent of the total weight of the body consists of the muscular system. When the organism reduces the quantity of calories it normally ingests (for example, when a person goes on a diet), the first thing the body loses is water, which is reflected in a rapid weight loss. Then the metabolism adapts to the diet, and the body resorts to using up muscle tissue before drawing on the fats stored for burning calories. For this reason, when the diet begins this second phase, the consequences can be lack of vigor and loss of muscle tone, which is recovered when the diet returns to normal.

**650 skeletal muscles**


OR VOLUNTARY MUSCLES ARE IN THE TYPICAL HUMAN BODY.

### MUSCLES FOR FROWNING

- FOREHEAD
- WRINKLE THE EYEBROWS
- OCULAR ORBIT
- NASAL
- LOWER LIP DEPRESSOR
- MENTALIS MUSCLE
- PLATYSMA


### MUSCLES FOR SMILING

- UPPER LIP ELEVATOR
- ZYGOMATIC MINOR
- ZYGOMATIC MAJOR
- RISORIIUS




Clearly, a lot fewer muscles are needed to smile than to frown.


## THE THREE TYPES OF MUSCLES



**STRIATED**  
They are also called "skeletal" (because they cover the skeleton) and "voluntary." They are composed of cells and fibers that contract rapidly.



**CARDIAC**  
Composed of small interconnected fibers, which maintain the rhythmic and continuous pumping of the heart.



**SMOOTH**  
Perform unconscious actions such as digestion. Their fibers contract slowly over an extended period of time.

# Muscular Fiber



A fiber is the long, thin cell that, when organized by the hundreds into groups called fascicles, constitutes the muscles. It is shaped like an elongated cylinder. The amount of fiber present varies according to the function accomplished by each muscle. Fibers are classified as white, which contract readily for actions that require force and power, and red, which perform slow contractions in movements of force and sustained traction. Each muscle fiber contains in its structure numerous filaments called myofibers. Myofibers, in turn, have two classes of protein filaments: myosin, also called thick filaments, and actin, or thin filaments. Both kinds of fibers are arranged in tiny matrices called sarcomeres. ●

## Specialization

The quantity of muscle fiber varies according to the size and function of the muscle. Also, the same muscle can combine white fibers (rapid contracters) and red fibers (slow contracters). Even though their percentages differ from one person to the next, the composition of the muscles of the upper limbs tends to be the same as that of the lower in the same person. In other words, the relation between motor neurons and muscle fibers is inscribed in a person's genes. Depending on the type of neuron that stimulates them, the fibers are differentiated into slow fibers (when the neuron or motor neuron innervates between five and 180 fibers) and rapid fibers (when the neuron innervates between 200 and 800 fibers). The neurons and the fiber constitute what is called a motor unit.


## Opposites

The muscles contract or relax according to the movement to be accomplished. To make the brain's directive take effect, the muscles involved carry out opposing actions.




## Relaxation

The order to contract given by the nervous system ceases, and the muscle fibers return to a position of rest. This happens to all muscles, regardless of the duration of contraction.



## Contraction

The nervous system orders the muscle fibers, no matter which type, to shorten. In order to create muscle contraction, calcium is released within the muscle cell, which allows the actin and the myosin to come together and overlap each other.




## A Bone Lever

In a lever system a force is applied to one end of a bar that is placed on a fixed point of support (the fulcrum) to move a weight at the other end. In the

body the bones are the bars, and the joints act like a fulcrum. The force is proportional to the muscular contraction.


**1 FIRST CLASS LEVER**  
The joint is located between the muscular contraction and the body part that is moved. Examples are the muscles that pull the cranium to move the head backward.



**2 SECOND CLASS LEVER**  
The body part that is moved is located between the joint and the muscular contraction. Examples are the muscles of the calf that lift the heel.



**3 THIRD CLASS LEVER**  
The most common type in the body, where the muscular contraction is applied between the joint and the body part moved. Examples are the muscles that bend the elbow.



**12 inches (30 cm)**  
THE LENGTH A MUSCLE FIBER CAN REACH

**70%**  
THE POTENTIAL CONTRACTION OF A MUSCLE FIBER IN TERMS OF THE FIBER'S LENGTH

## Running

Marathon runners may have as much as 90 percent red, or slow, fibers in their twin muscles. Champions in the 100-meter dash have only 20 to 25 percent.

# Internal Systems and Organs

## THE CHEMISTRY OF LOVE

Even a light kiss results in the release of adrenaline, causing a sensation of euphoria and joy.

## CIRCULATORY SYSTEM 36-37

ALL ABOUT THE HEART 38-39

COMPONENTS OF THE BLOOD 40-41

LYMPHATIC SYSTEM 42-43

GANGLIA 44-45

RESPIRATORY SYSTEM 46-47

## LUNGS 48-49

DIGESTIVE SYSTEM 50-51

STOMACH 52-53

LIVER, PANCREAS, BILE 54-55

LARGE AND SMALL INTESTINE 56-57

URINARY SYSTEM 58-59

## KIDNEYS 60-61

ENDOCRINE SYSTEM 62-63

MALE REPRODUCTIVE SYSTEM 64-65

FEMALE REPRODUCTIVE SYSTEM 66-67

**I**t is difficult to explain that the sexual attraction between a man and woman—something that appears to be so natural and intimate—is a chemical phenomenon. What is

certain is that when a couple feels they are in love, it is because hormones have gone into action. Without them, amorous thoughts and sexual fantasies would be drab and dull. We invite you to find out to

what extent hormones determine many of our actions and also to investigate in detail, one by one, how the body's systems function. You will learn to understand how various organs of the

body work as a team. Although each organ accomplishes specific tasks on its own, they all communicate with each other, and together they form a complete human being. ●



# Circulatory System

Its function is to carry blood to and from all the organs of the body. To drive the constant movement of the blood, the system uses the pumping of the heart, the organ that acts as the system's engine. The arteries bring oxygen-rich blood to all the cells, and the veins retrieve the blood so that it can be oxygenated once again and so that wastes can be removed. ●

## A System That Goes Around

The center of the system is the heart, which, together with a network of vessels, forms the cardiovascular machinery. This vital engine beats more than 30 million times a year—approximately 2 billion times in a person's lifetime. With each beat it pumps about 5 cubic inches (82 ml) of blood. This means that an adult heart could fill a 2,000-gallon (8,000-l) tank in just one day. Beginning at the heart, the circulatory system completes two circuits: the main, or systemic, circulation via the aortic artery and the minor, or pulmonary, circulation. The main circulation brings oxygenated blood to the capillary system, where the veins are formed; the minor circulation brings oxygen-poor blood through the pulmonary artery to be enriched with oxygen and to have carbon dioxide removed from it, a process called hematosis. Other secondary circuits are the hepatic portal system and the hypophyseal portal system.

### BLOOD DISTRIBUTION DURING CIRCULATION




### Arteries

Muscular elastic blood vessels. Their function is to bring oxygenated blood from the heart (from the primary artery, the aorta) to all the cells of the body. Arteries have thick walls, allowing them to withstand the high pressure of the blood.



### Veins

The veins are the conduits that transport deoxygenated blood back toward the heart after it has traveled to different parts of the body. The veins have thin walls with less muscular fiber and less elasticity than the arteries. The principal veins have valves to prevent the reflux of blood, forcing it to travel in only one direction.



### Capillaries

These are branchings of the arterioles, small vessels into which the arteries are subdivided. The capillaries are tiny, and they come together to form small veins, which combine to form larger veins. The capillaries are crucial in the exchange of oxygen, nutrients, and waste, and they form a network to carry out this activity. Ten capillaries together are as thick as a human hair.



1 inch (2.5 cm)

THE EXTERNAL DIAMETER OF THE AORTA (THE LARGEST ARTERY) AND THE VENA CAVA (THE LARGEST VEIN)

0.00001 to 0.1 inch (0.001 to 0.2 mm)

THE RANGE IN DIAMETER OF CAPILLARIES THE AVERAGE LENGTH IS 0.04 INCH (1 MM).

60,000 miles (100,000 km)

THE TOTAL LENGTH OF THE BLOOD VESSELS. NINETY-EIGHT PERCENT OF THEM ARE CAPILLARIES.

# All About the Heart

The heart is the engine of the circulatory apparatus: it supplies 10 pints (4.7 l) of blood per minute. Its rhythmic pumping ensures that blood arrives in every part of the body. The heart beats between 60 and 100 times per minute in a person at rest and up to 200 times per minute during activity. The heart is a hollow organ, the size of a fist; it is enclosed in the thoracic cavity in the center of the chest above the diaphragm. The name of the stomach's entrance, or *cardias*, comes from the Greek word for heart, *kardia*. Histologically, one can distinguish three layers of tissue in the heart, starting from the inside out: the endocardium, the myocardium, and the pericardium. ●




## The Return Flow of Blood

These cells are phantom cells, because all they contain is a large amount of hemoglobin, a protein that has a great affinity for combining with oxygen. The red blood cells, which circulate in the blood, bring oxygen to the cells that need it, and they also remove a small part of the carbon dioxide that the cells are discarding as waste. Because they cannot reproduce themselves, they must be replaced by new red blood cells that are produced by the bone marrow.

**20 seconds**


A RED BLOOD CELL TRAVERSES THE BODY IN 20 SECONDS. THEREFORE, THE DISTANCE THAT IT TRAVELS AMOUNTS TO 12,000 MILES (19,000 KM).




**10 ounces (300 g)**  
IS THE AVERAGE WEIGHT OF AN ADULT HEART (RANGE: 7 TO 14 OUNCES [200 TO 400 G]).

## THE SEQUENCE OF THE HEARTBEAT


**1 DIASTOLIC**  
The atria and the ventricles are relaxed. The blood, supercharged with carbon dioxide, flows from all the corners of the body and enters the right atrium, while the blood that was oxygenated through the work of the lungs returns to the left part of the heart.



**2 ATRIAL SYSTOLE**  
The atria contract to push the blood down toward the ventricles. The right ventricle receives the blood that will have to be sent to the lungs to be oxygenated. The left ventricle receives blood coming from the lungs, which is already oxygenated and must be pumped toward the aorta.




**3 VENTRICULAR SYSTOLE**  
The ventricles contract after a brief pause. The systole, or contraction, of the right ventricle sends impure blood to the lungs. The contraction of the left ventricle pumps the already oxygenated blood toward the aorta; it is ready for distribution throughout the body.



**70**

IS THE APPROXIMATE NUMBER OF TIMES THAT THE HEART BEATS PER MINUTE. IT PUMPS 2,000 GALLONS (8,000 L) OF BLOOD PER DAY.



**SUPERIOR VENA CAVA**  
brings the blood to be oxygenated from the lower part of the body.

**AORTA**  
The principal artery of the body. Oxygenated blood exits through this artery.

### VALVES

The valves control the blood flow between the atria and the ventricles. In the graphic above (right) the pressure of the blood pumped by the heart forces the valve open. The graphic below shows that once the blood has entered, its own weight leads to a pressure reversal that causes the valve to close.



**RIGHT ATRIUM**  
It sends the blood through the tricuspid valve to the right ventricle.

**PULMONARY VALVE**  
Through this valve blood to be oxygenated passes from the right ventricle toward the pulmonary artery.

**LEFT ATRIUM**  
receives the oxygenated blood from the lungs

**TRICUSPID VALVE**  
opens so that blood can pass from the atrium to the ventricle and then closes to prevent it from going back.

**RIGHT VENTRICLE**  
receives the blood from its atrium and pumps it to the pulmonary valve.

**PAPILLARY MUSCLES**

**LEFT VENTRICLE**  
receives the oxygenated blood via the mitral valve.

**MITRAL VALVE**  
This valve, also known as the bicuspid valve, opens the path for the blood from the left auricle toward the ventricle and then prevents it from returning.

**AORTIC VALVE**  
regulates the passage of the oxygenated blood toward the aorta.

**SEPTUM**  
The interventricular wall that separates the two inferior cavities

**TENDINOUS CORDS**  
These are the small fibrous threads whose function is to fasten the ends of the tricuspid valve to the heart wall.

**VALVE**  
**TENDINOUS CORDS**

# Components of the Blood

The blood is a liquid tissue composed of water, dissolved substances, and blood cells. The blood circulates inside the blood vessels thanks to the impulse it receives from the contraction of the heart. A principal function of the blood is to distribute nutrients to all the cells of the body. For example, the red blood cells (erythrocytes) carry oxygen, which associates with the hemoglobin, a substance in the cell responsible for the blood's red color. The blood also contains white blood cells and platelets that protect the body in various ways. ●


1

## Red Blood Cells

These cells are phantom cells, because all they contain is a large amount of hemoglobin, a protein that has a great affinity for combining with oxygen. The red blood cells, which circulate in the blood, bring oxygen to the cells that need it, and they also remove a small part of the carbon dioxide that the cells are discarding as waste. Because they cannot reproduce themselves, they must be replaced by new red blood cells that are produced by the bone marrow.

### FLEXIBILITY

Red blood cells are flexible and take on a bell shape in order to pass through the thinnest blood vessels.



BICONCAVE FORM

BELL-SHAPED

5 quarts (4.7 l)

THE APPROXIMATE VOLUME OF BLOOD PRESENT IN A HUMAN ADULT

0.0003 INCH (0.008 MM)

## The Blood Groups

Each person belongs to a blood group. Within the ABO system the groups are A, B, AB, and O. Each group is also identified with an antigen, or Rh factor, that is present in the red blood cells of 85 percent of the population. It is of

vital importance to know what blood group a person belongs to so as to give only the right type during a blood transfusion. The immune system, via antibodies and antigens, will accept the body's own blood type but will reject the wrong type.


### GROUP A

An individual with red blood cells with antigen A in its membranes belongs to blood group A, and that person's plasma has antibodies against type B. These antibodies recognize red blood cells with antigen B in their membranes as foreign.



### GROUP B

Members of this group have antigen B in the membrane of their red blood cells and anti-A antibodies in their blood plasma.




### GROUP AB

Members of this group have antigen A and B in the membrane of their red blood cells and no antibodies in their blood plasma.




### GROUP O

Members of this group have no antigens in the membranes of their erythrocytes and anti-A and anti-B antibodies in their blood plasma.



### COMPATIBILITY

Donors of group O can give blood to any group, but group AB donors can give only to others with AB blood. The possibility of blood donation depends on the antibodies of the recipient.



0.0003 INCH (0.008 MM)

2

## White Blood Cells, or Leukocytes

This is what a leukocyte, or white blood cell, looks like swimming in blood plasma. They are called white because that is their color when viewed under a microscope.

7%

IS THE PORTION OF BODY WEIGHT REPRESENTED BY THE BLOOD.

### COMPOSITION

|               |             |
|---------------|-------------|
| GRANULOCYTES  | Neutrophils |
|               | Eosinophils |
|               | Basophils   |
| AGRANULOCYTES | Lymphocytes |
|               | Monocytes   |

## Blood Components

The blood is a tissue, and as such it is characterized by the same type of cells and intercellular substance as tissue. It is distinguished from the rest of the tissues in the human body by an abundance of intercellular material,

which consists primarily of water. The intercellular material, called plasma, is yellow, and it contains abundant nutrients and other substances, such as hormones and antibodies, that take part in various physiological processes.

### COMPONENTS OF THE BLOOD PER 0.00006 cubic inch (1 cu ml)

|                   |                    |
|-------------------|--------------------|
| Red Blood Cells   | 4 to 6 million     |
| White Blood Cells | 4,500 to 11,000    |
| Platelets         | 150,000 to 400,000 |
| Normal pH         | 7.40               |


### DAILY PRODUCTION IN MILLIONS

|                   |         |
|-------------------|---------|
| Red Blood Cells   | 200,000 |
| White Blood Cells | 10,000  |
| Platelets         | 400,000 |

4

## Plasma

Red and white blood cells and platelets (which contribute to coagulation) make up 45 percent of the blood. The remaining 55 percent is plasma, a fluid that is 90 percent water and the rest various nutrients.



3

## Platelets

are cell fragments that have separated from the megakaryocytes, cells located in the bone marrow. They have a role in blood coagulation. Next to the red blood cells, the platelets are the most abundant component of the blood.

98.6° F (37° C)

THE BLOOD MAINTAINS THE BODY AT THIS AVERAGE TEMPERATURE.



# Lymphatic System

It accomplishes two basic functions: defense against foreign organisms (such as bacteria) and aid with transport of liquid and matter via the circulation of the lymph from the interstices of the tissue and from the digestive apparatus to the blood. About 3 to 4 quarts (2.8-3.7 l) of the liquid circulating in the system do not return. This liquid is known as lymph, and it is reabsorbed into the plasma only through the lymphatic vessels. The lymph contains cells called lymphocytes and macrophages, which are part of the immune system. ●

## Lymphatic Network


This network contains vessels that extend throughout the body and that filter the liquid that comes from the area surrounding the cells. The lymph circulates in only one direction and returns to the blood through the walls of small blood vessels. There are valves that prevent the lymph from

flowing in the opposite direction. The lymph nodes filter harmful microorganisms from the lymph, which returns via blood vessels to maintain the equilibrium of the body's fluids. Together with the white blood cells, the lymph nodes are in charge of maintaining the immune system.

## Lymphatic Tissue



One part of the liquid that exits from blood flow and distributes itself in the body returns only through the action of

the lymphatic tissue, which reabsorbs it via the lymphatic capillaries and returns it to the blood via the lymphatic vessels.



## Immune Response

- The lymphatic system generates lymphocytes (also found in the blood and in other tissue) and macrophages. Together they constitute the immune system. Here invading bacteria are devoured by a macrophage, and the B lymphocytes take information from the surface of the bacteria that they need to "recognize" other similar bacteria.
- The B lymphocytes are activated and upon recognizing a pathogen divide themselves into plasmatic cells and memory cells. The plasmatic cells secrete thousands of antibody molecules per second, which are carried by the blood to the site of the infection. The memory cells retain the antigen information, and, when faced with a new invasion, will once again divide rapidly in order to deal with it.
- The antibodies, also called "immunoglobulin," are protein molecules in the form of a "Y," with arms unique to each specific type of antibody. It is this feature that attaches them to a specific antigen. Their function is to "mark" invaders, which can then be destroyed by the macrophages.



**SPLEEN**  
The largest lymphatic organ, it performs specific tasks, such as filtering the blood, producing white blood cells, and eliminating old blood cells. It also stores blood. The spleen can weigh between 3 and 9 ounces (100 and 250 g). It is about 5 inches (12 cm) long and 3 inches (7 cm) wide.


**THYMUS**  
A gland consisting of two lobes, located in the upper section of the sternum. It develops during puberty and then begins to decline, transforming itself into a mass of connective tissue. The thymus transforms blood cells produced in the bone marrow into specialized T lymphocytes.

# Lymph Node


Also called a lymph gland, this node has a round shape and is about 0.4 inch (1 cm) in diameter. Lymph nodes are distributed throughout the body—in the neck, armpits, groin, and popliteal bone (behind the knees), as well as in the thorax and abdomen. The lymphatic vessels are the ducts for the lymph and the pathways for communication among the lymph nodes. The battle of the immune system against invading germs takes place within the nodes, which then enlarge because of inflammation. ●

## Natural Defenses


Besides the immune system, composed in part by the lymphatic system, the body has another group of resources called natural defenses, which people possess from birth. The body's first defensive barrier is the skin. If pathogenic agents succeed in passing through its filters, however, both the blood and the lymph possess specialized antimicrobial cells and chemical substances.





**SEBACEOUS GLAND**  
Located on the surface of the skin, this gland secretes a fatty substance called sebo.




**INTESTINAL MUCOSA**  
The goblet cells in this membrane produce a defensive mucus.




**VAGINAL BACTERIA**  
Under normal conditions, these are inoffensive, and they occupy areas that could be invaded by pathogenic bacteria.




**LACRYMAL GLAND**  
Secretes tears that protect the eyes. Tears, like saliva and perspiration, kill bacteria.



**SALIVARY GLAND**  
produces saliva, which contains bactericidal lysozymes.



**MUCOUS SECRETIONS**  
These secretions, called mucus, form in the upper and lower respiratory tracts, where they capture bacteria and carry them to the throat to be spit out.



**SWEAT GLAND**  
secretes sweat, which helps to control body temperature, to eliminate toxins, and to protect the skin immunologically.

## A Defensive Filter

The glands are covered with a sheath of connective tissue, which in turn forms an interior network that consists of clusters filled with lymphocytes. Their immunological functions are to filter the fluid that arrives via both the sanguine and lymphatic afferent veins, which then goes toward the heart to be returned to circulation via the efferent vessels and to produce immune cells for attacking and removing bacteria and carcinogenic cells.

**100 square inches (600 sq cm)**

THE AREA OF THE SKIN COVERED BY SWEAT GLANDS, A PART OF THE NATURAL DEFENSES THAT COMPLEMENT THE WORK OF THE GANGLIA IN THE IMMUNE SYSTEM

### GERMINAL CENTER

The area that contains B lymphocytes. There are two types: B cells, which produce antibodies, and T cells.

### MACROPHAGES

Together with the lymphocytes, they are the basis of the immune system. They devour the invading bodies that are detected.

### AFFERENT LYMPHATIC VESSEL

The afferent vessels carry the lymphatic liquid from the blood to the ganglia, or lymphatic nodes.

**VALVE**  
regulates the passage of the lymph and prevents its reflux.

**EFFERENT LYMPHATIC VESSEL**  
The conduit for the lymph that exits the ganglia and returns to the bloodstream

**VEIN**


**ARTERY**

**RETICULAR FIBERS**  
The networks that support the lymph nodes

**B LYMPHOCYTES**  
acquire their immunological capacity in the bone marrow and in the liver of the fetus.




**A BACTERIA**  
are found by the billions in any medium. Not all of them are harmful. Bacteria known as germs are pathogenic and release poisonous substances called toxins.



**B VIRUSES**  
are not really living beings but chemical packages. They consist of genetic material. When they enter the body, they invade a cell, where they reproduce and then spread.



**C PROTOZOA**  
are organisms that typically live in water and in soil. There are about 30 pathogenic species, which can produce a range of diseases from sleeping sickness and severe diarrhea to malaria.



**LYMPHOCYTES**  
White blood cells that, together with the macrophages, are the basis of the cellular component of the immune system.

**T CELLS**  
Specialized lymphocytes created in the thymus to help detect antigens

**RESISTANT CAPSULE**  
Has the function of enveloping and protecting the ganglia

## Invaders

Disequilibrium can be caused in the homeostatic mechanisms of the human body, causing disease that may or may not be infectious. Noninfectious disease is usually produced by heredity,

external factors, or lifestyle. Infections are brought on by parasitic organisms, such as bacteria, viruses, fungi, and protozoa (single-celled organisms belonging to the protist kingdom).

## Red

THE COLOR OF INFLAMED SKIN WHEN BACTERIAL ACTION IN A WOUND CAUSES VASODILATION. THIS OCCURS BECAUSE THE BLOOD VESSELS EXPAND TO INCREASE BLOOD FLOW AS A MEANS OF DEFENSE.

# Respiratory System

The respiratory system organizes and activates respiration, a process by which the human body takes in air from the atmosphere, extracts the oxygen that the circulation will bring to all the cells, and returns to the air products it does not need, such as carbon dioxide. The basic steps are inhalation, through which air enters the nose and mouth, and exhalation, through which air is expelled. Both actions are usually involuntary and automatic. Respiration involves the airway that begins in the nose and continues through the pharynx, larynx, trachea, bronchi, bronchioles, and alveoli; however, respiration occurs primarily in the two lungs, which are essentially bellows whose job it is to collect oxygen from the air. The oxygen is then distributed to the entire body via the blood. ●


**6 quarts (5.5 l)**  
THE APPROXIMATE VOLUME OF AIR THAT ENTERS AND EXITS THE LUNGS DURING ONE MINUTE OF BREATHING

**15**  
WE NORMALLY BREATHE BETWEEN 15 AND 16 TIMES A MINUTE.

## Larynx

The resonance box that houses the vocal cords; it consists of various components of cartilaginous tissue. One of these components can be identified externally: it is the Adam's apple, or thyroid cartilage, located in the middle of the throat. The larynx is important

for respiration because it links the pharynx with the trachea and ensures the free passage of air entering and leaving the lungs. It closes the epiglottis like a door when the organism is ingesting food in order to prevent food from entering the airway.



## WHAT ENTERS AND WHAT EXITS

| Component      | Percentage in Inhaled Air | Percentage of Exhaled Air |
|----------------|---------------------------|---------------------------|
| Nitrogen       | 78.6                      | 78.6                      |
| Oxygen         | 20.8                      | 15.6                      |
| Carbon Dioxide | 0.04                      | 4                         |
| Water Vapor    | 0.56                      | 1.8                       |
| <b>Total</b>   | <b>100</b>                | <b>100</b>                |

## Route

- 1 The air enters the nasal cavity, where it is heated, cleaned, and humidified (it also enters through the mouth).
- 2 The air passes through the pharynx, where the tonsils intercept and destroy harmful organisms.
- 3 The air passes through the larynx, whose upper part, the epiglottis, a cartilaginous section, prevents food from passing into the larynx when swallowing. From the larynx the air goes into the esophagus.
- 4 The air passes through the trachea, a tube lined with cilia and consisting of rings of cartilage that prevent its deformation. The trachea transports air to and from the lungs.
- 5 In the thoracic region the trachea branches into two bronchi, which are subdivided into smaller branches, the bronchioles, which in turn carry the air to the pulmonary alveoli, elastic structures shaped like sacs where gas exchange occurs.
- 6 From the alveoli the oxygen passes into the blood and then from the blood to the tissues of the body. The carbon dioxide exits the bloodstream and travels toward the alveoli to be subsequently exhaled. Exhaled air contains more carbon dioxide and less oxygen than inhaled air.

## HAIRS

The interior of the trachea is covered with hairs (cilia), which, like the hairs in the nose, capture dust or impurities carried by the air.



## RESPIRATORY PROCESS

1

2

3

4

5

6

**TRACHEA**  
The great respiratory pathway between the larynx and the bronchi

**LUNGS**  
Two organs that take oxygen from the air

**PHARYNX**  
The muscular tract in the neck. Food and air pass through it.

**LARYNX**  
A pharynx and trachea. It participates in phonation.

**TRACHEA**  
The great pathway for incoming air, which divides into the two smaller bronchial tubes going to the lungs

**BRONCHI**  
Two fibrous cartilaginous tubes, which begin in the trachea and terminate in the lungs

Legend  
**OXYGENATED BLOOD**  
**DEOXYGENATED BLOOD**


**DIAPHRAGM**  
Membrane primarily consisting of muscular fiber that separates the thoracic cavity from the abdominal cavity

# Lungs

Their principal function is to exchange gases between the blood and the atmosphere. Inside the lungs, oxygen is taken from the air, and carbon dioxide is returned to the air. There are two lungs. The left lung has two lobes and one lingula, and it weighs approximately 30 ounces (800 g); the right lung has three lobes and weighs 35 ounces (1,000 g). Both lungs process the same amount of air. In men each lung has a capacity of 3 quarts (3.2 l), and in women, 2 quarts (2.1 l). The lungs fill most of the space in the thoracic cage surrounding the heart. Their major motions are inhalation (taking in air) and exhalation (expulsion). The pleural membranes, intercostal muscles, and diaphragm make this mobility possible. ●


## Inhalation

The air enters. The diaphragm contracts and flattens. The external intercostal muscles contract, lifting the ribs upward. A space is created within the thorax into which the lungs expand. The air pressure in the lungs is less than that outside the body, and therefore air is inhaled.



## Exhalation

The diaphragm relaxes and becomes dome-shaped. The external intercostal muscles relax. The ribs move downward and inward. The space within the thorax decreases, and the lungs are compressed. The air pressure within the lungs is greater than that outside of the body, and therefore the air is exhaled.



## A Marvelous Pump

The respiratory system accomplishes its functions by combining a series of involuntary and automatic movements. The lungs, opening and closing like bellows, make inhalation possible by increasing their capacity to take in air, which is then exhaled when the bellows close. Inside the lungs the first stage of processing the gases that came in through the nose and the trachea is accomplished. Once the exchange of oxygen to be absorbed and carbon dioxide to be expelled occurs, the next stages can be accomplished: transport of the gases and delivery of oxygen to the cells and tissues.

**30,000**

THE NUMBER OF BRONCHIOLES, OR TINY BRANCHINGS OF THE BRONCHI, IN EACH LUNG

**350 million**

THE NUMBER OF ALVEOLI IN EACH LUNG (700 MILLION FOR BOTH TOGETHER)

**PLEURAL MEMBRANES** are primarily muscular and allow the lungs to move within the rib cage.

**TRACHEA**  
The trachea is reinforced with C-shaped pieces of cartilage.

**PULMONARY ARTERY**  
The only blue artery. The oxygen-poor blood goes from the right side of the heart to the lungs to pick up oxygen.


**AORTAL ARTERY**  
Recharged with oxygen from the lungs, the blood returns to the heart and then circulates through the entire body.

**BRONCHIAL TREE**  
The complex of tubes that bring air to and from the lungs. They diminish in size from the trachea and subdivide into bronchioles and alveoli.

**BRONCHI**  
One for each lung; the two great pathways into which the trachea is divided


## Alveoli

Hollow structures that terminate in the bronchioles. They store air, have the form of a globe or cluster of bubbles, and are active in gas exchange. The oxygen comes to the blood via the alveolar walls and then passes toward the capillary network. Carbon dioxide is transferred from the blood to the alveoli and is then exhaled. If the alveoli are damaged as the result of a pulmonary disorder, then there is less surface area available for the interchange of gases, and the person might feel shortness of breath.



**ALVEOLI**  
If dust or microorganisms enter, the macrophage cells defend against them.

## HOW IT WORKS



- 1 The alveolar cavity fills with air. The red arrows indicate the direction the oxygen travels toward the red blood cells and then on toward the heart and the rest of the body.
- 2 The blue indicates the direction the carbon dioxide travels to the red blood cells and the plasma from the heart so that the alveolar can return it to the lungs.
- 3 The complete operation of exchange is hematosis. The carbon dioxide will be returned to the lungs by the venae cavae and exhaled.

**BRONCHIOLES** are thinner than a human hair. They secrete mucus.

# Digestive System

The digestive system is the protagonist of a phenomenal operation that transforms food into fuel for the entire body. The process begins with ingestion through the mouth and esophagus and continues with digestion in the stomach, the small intestine, and the large intestine, from which the feces are evacuated by the rectum and anus. By then the task will have involved important chemical components, such as bile, produced by the liver, and other enzymes, produced by the pancreas, by which the food is converted into nutrients. Separating the useful from the useless requires the filtering of the kidneys, which discard the waste in urine. ●

## The First Step: Ingestion


The digestive process begins with the mouth, the entry point to the large tract that changes in form and function and ends at the rectum and anus. The tongue and teeth are the first specialists in the task. The tongue is in charge of tasting and positioning the food,

which is cut and ground by the teeth. This synchronized activity includes the maxillary bones, which are controlled by their corresponding muscles. The palate, in the upper part of the mouth, prevents food from passing into the nose. The natural route of the food is down the esophagus to the stomach.

## Teeth

There are 32 teeth, and they are extremely hard, a condition necessary for chewing food. There are eight incisors, four canines, eight premolars, and 12 molars. Humans develop two sets of teeth, a provisional or temporary set (the baby teeth) and a permanent set (adult teeth). The first temporary teeth appear between six and 12 months of age. At 20 years of age the process of replacement that began at about age five or six is complete.

### A SET OF TEETH



## THE MOUTH

**THE SOFT PALATE**  
Also called the velar palate, the palate keeps the food from going into the nose.

**THE HARD PALATE**  
The "roof" of the oral cavity. It is made of bone.

**TONGUE**  
Its notable flexibility makes eating possible. It also tastes the food.

**PHARYNX**  
The muscles in the walls of the pharynx contract, forcing the bolus of chewed food into the esophagus.


**ESOPHAGUS**  
Its muscles force the bolus toward the stomach. The esophagus and stomach are separated by a sphincter.

## THE INSIDE OF A TOOTH

**PULP**  
Soft tissue that is the core of the tooth

**ROOT**  
Entirely buried in the maxillary bone

**CEMENT**  
The thin layer that covers the roots and anchors them in the jawbone



**ENAMEL**  
has no feeling and is the hardest substance in the body.

**DENTIN**  
Sensitive to cold and heat, it is stronger than bone tissue.

**NERVES**  
pass information about the tooth to the nervous system.

## Enzymes and Hormones

The complex chemical processes that transform food are essentially accomplished by enzymes and hormones. Both types of substances are secreted by various glands of the digestive system, such as the salivary glands. Enzymes are substances that act as catalysts. Hormones are substances that regulate processes such as growth metabolism, reproduction, and organ function.

## Digestion Chronology

The process that converts food into nutrients begins a few seconds after the food is raised to the mouth and chewing begins. The average digestion time is about 32 hours, though digestion can range from 20 to 44 hours.

### 1 00:00:00

The process begins when the food reaches the mouth. The entire organism is involved in the decision, but it is the digestive system that plays the main role. The first steps are taken by the teeth and the tongue, aided by the salivary glands, which provide saliva to moisten the alimentary bolus. The morsels are chewed so that they can pass through the esophagus.

### 2 00:00:10

About 10 seconds after chewing has begun, the food is transformed into a moist alimentary bolus that makes its way through the pharynx to the esophagus and then to the stomach, where other changes will take place.

### 3 03:00:00

Three hours after its arrival, the food leaves the stomach, which has accomplished its function. The first phase of digestion is over. The bolus now has a liquid and creamy consistency.

### 4 06:00:00

Three hours later, the food that has been digested in the stomach arrives at the midpoint of the small intestine. At this point it is ready to be absorbed.

### 5 08:00:00

Two hours later, the non-digested, watery residue arrives at the junction of the small and large intestines. The useless material rejected by the body's chemical selectors continues its course, and it is now prepared to be expelled from the organism in the form of feces.

### 20:00:00


The alimentary residue remains in the large intestine between 12 and 28 hours. In this part of the process the residue is converted into semisolid feces.

### 6 24:00

Between 20 and 44 hours after having entered the mouth as food, the residue that was converted into semisolid feces in the previous stage arrives at the rectum. The waste will be evacuated through the anus as excrement.

## Tract

The muscular movement called peristalsis pushes the food along. That is why it is possible to eat upside down or during weightlessness, as astronauts do.





# Stomach

The part of the digestive tract that is a continuation of the esophagus. It is sometimes thought of as an expansion of the esophagus. It is the first section of the digestive system that is located in the abdomen. It has the shape of an empty bag that is curved somewhat like a bagpipe, the handle of an umbrella, or the letter "J." In the stomach, gastric juices and enzymes subject the swallowed food to intense chemical reactions while mixing it completely. The stomach connects with the duodenum through the pylorus. Peristalsis, or the muscular contractions of the alimentary canal, moves the food from the stomach to the duodenum, the next station in the progress of the alimentary bolus. ●

## How We Swallow

Although swallowing is a simple act, it does require the coordination of multiple parts. The soft palate moves backward when the alimentary bolus passes through the esophagus. The epiglottis moves downward to close the trachea and prevent the food from entering the respiratory pathways. The alimentary bolus is advanced by the muscular motions of peristalsis.



## X-ray of the Stomach

The stomach is the best known of the internal body organs, but it is also the most misunderstood. This J-shaped sac stretches to fill up with food, but it does not absorb any of the nutrients. Its work consists of starting the digestion process, storing semi-digested food, and releasing the food slowly and continuously. Internal gastric juices make it possible for the enzymes to decompose the proteins, while muscular contractions mix the food.

**PYLORUS**  
A muscular ring that opens and closes the pyloric sphincter to allow (or prevent) passage of liquefied food from the stomach on its way to the intestine

**STOMACH WALL**  
A covering of three muscular layers that contract in different directions to mash the food. It contains millions of microscopic glands that secrete gastric juices.

**WRINKLES OR FOLDS**  
are formed when the stomach is empty, but they stretch out as the stomach fills and increases its size.

**DUODENUM**  
The initial section of the small intestine



**ESOPHAGUS**  
carries chewed food to the stomach.

**INFERIOR ESOPHAGEAL SPHINCTER**  
closes the junction between the esophagus and the stomach to prevent reflux of the stomach contents.

## Peristalsis: Muscles in Action



Peristalsis is the group of muscular actions that moves the food toward the stomach and, once the digestive stage has been completed, moves it on to the

small intestine. The sphincters are stationary, ring-shaped muscular structures whose opening and closing regulates the passage of the bolus.



Food is sent toward the stomach, pumped by the muscular contractions of the esophageal walls. Gravity helps accomplish this downward journey.

Full stomach. Food enters. The pyloric sphincter remains closed. The gastric juices kill bacteria and are mixed with the food through muscular motions.



The stomach in full digestive action. The peristaltic muscles mix the food until it becomes a creamy, viscous liquid (chyme).

The stomach is being emptied. The pyloric sphincter relaxes, the muscles move the food, and small quantities of food exit toward the duodenum.

## Stomach Wall

The structure of the wall accounts for the two important functions of the stomach: the muscular layers and the activity of the gastric glands guarantee that digestion will run its course.

**GASTRIC MUCOSA**  
contains the gastric glands, which produce 3 quarts (2.8 l) of gastric juice per day.

**MUSCULAR LAYERS OF THE MUCOSA**  
Two fine layers of muscular fibers extend under the mucosa.

**GASTRIC WELLS**  
From three to seven glands open to form a groove.

**SUBMUCOSA**  
Tissue that connects the mucosa to the layers of muscle


**THREE LAYERS OF MUSCLE**  
They are the circular, the longitudinal, and the oblique.

**SUBSEROZA**  
Layer that connects the serosa to the muscles

**SEROSA**  
Layer that covers the outer surface

**GLÁNDULAS GÁSTRICAS**

**20 times**  
THE STOMACH INCREASES UP TO 20 TIMES ITS ORIGINAL SIZE AFTER A PERSON EATS.




# Liver, Pancreas, Bile

The liver is the largest gland of the human body and the second largest organ (the skin is the largest). It has numerous functions, and a large part of the body's general equilibrium depends on it. The liver produces bile, a yellowish-green fluid that helps in the digestion of fats. The liver is the great regulator of the glucose level of the blood, which it stores in the form of glycogen. Glycogen can be released when the organism requires more sugar for activity. The liver regulates the metabolism of proteins. Proteins are the essential chemical compounds that make up the cells of animals and plants. The liver is also a large blood filter and a storage site for vitamins A, D, E, and K. The pancreas is a gland that assists in digestion, secreting pancreatic juice. ●

## Lobules

Among its other functions, the liver processes nutrients to maintain an adequate level of glucose in the blood. This task requires hundreds of chemical processes that are carried out by the hepatocytes, or liver cells. These are

arranged in columns, forming structures called lobules. They produce bile and a sterol (a solid steroid alcohol) called cholesterol. They also eliminate toxins that might be present in food.



## Vesicle and Bile

The biliary system stores bile that is produced by the hepatocytes in a specialized pouch called the gallbladder. The path the bile takes from the liver to the gallbladder leads through little canals, biliary ducts, and hepatic

ducts, whose diameter increases as the bile moves along. When the body ingests fat, the bile is sent from the gallbladder to the small intestine to accomplish its main function: emulsifying fats to help promote their later absorption.

## Liver


Among its numerous functions, the liver rids the blood of potentially harmful chemical substances, such as drugs and germs. It filters out toxins, starting in the small intestine, and it is involved in maintaining the equilibrium of proteins, glucose, fats, cholesterol, hormones, and vitamins. The liver also participates in coagulation.

**GALLBLADDER**  
stores bile produced by the liver.

**ESOPHAGUS**  
brings food to the stomach.

## Pancreas

The pancreas is a gland that accomplishes various functions. Its exocrine component secretes pancreatic juice into the duodenum to aid in digestion. This juice contains enzymes that break down fats, proteins, and carbohydrates. It contains sodium bicarbonate, which neutralizes the strong stomach acid. The pancreas also performs a function in the endocrine system: it secretes the hormone insulin into the blood, where it regulates glucose levels.




**1 quart (0.9 l)**

THE AMOUNT OF BILE THE LIVER CAN PRODUCE IN A DAY. THE LIVER IS THE HEAVIEST INTERNAL ORGAN OF THE BODY.

## Metabolism

The complex of chemical reactions that occur in the cells of living beings, transforming simple substances into complex substances and vice versa. When the nutrients are absorbed into the bloodstream and passed to the liver, the liver breaks down proteins into amino acids, fats into fatty acids and glycerol, and carbohydrates into smaller components. A normal diet includes carbohydrates, proteins, fats, vitamins, and minerals.

**ENERGY**  
The body's cells basically obtain their energy from the breakdown of glucose stored in the liver. When no glucose is available, the body turns to fatty acids for energy.



**HEPATIC TISSUE**  
Excess glucose in the organism is stored as glycogen in the cells of the liver.

**MUSCULAR FIBER**  
Muscle cells in the liver together with the hepatic cells store glycogen.

**ADIPOSE CELLS**  
are cells in which the organism stores excess fatty acids in the form of fat.

**CELLULAR GROWTH AND REPAIR**  
Amino acids are converted into proteins by a process called anabolism. Proteins are fundamental for mitosis, cellular regeneration, and enzyme production.

**THE CONNECTION**  
The esophagus, stomach, gallbladder, spleen, and small intestine are linked functionally and by their position in the body. They constitute the great crossroads of digestion.



**DUODENUM**  
The initial part of the small intestine

**SPLEEN**  
The spleen has a double function. It is part of the immune defense system, and it destroys defective red blood cells.

**PANCREAS**  
releases pancreatic juice, which contains digestive enzymes.


**PANCREATIC DUCT**

# Large and Small Intestine

The longest part of the digestive tract. It is about 26 to 30 feet (8 to 9 m) long and runs from the stomach to the anus. The small intestine receives the food from the stomach. Digestion continues through enzyme activity, which completes the chemical breakdown of the food. Then the definitive process of selection begins: the walls of the small intestine absorb the nutrients derived from the chemical transformation of the food. The nutrients then pass into the bloodstream. Waste substances, on the other hand, will go to the large intestine. There the final stage of the digestive process will occur: the formation of the feces to be excreted. ●

## The Union of Both

The small and large intestines join at the section called the ileum (which is the final section of the small intestine; the duodenum and jejunum come before the ileum). The iliac valve acts as a door between the small intestine and large intestine, or colon. The ileum terminates in the caecum (of the large intestine). The ileum measures approximately 13 feet (4 m) in length. Its primary function is the absorption of vitamin B12 and biliary salts. The primary function of the large intestine is the absorption of water and electrolytes that arrive from the ileum.



### WATER THAT ENTERS THE ALIMENTARY CANAL

| In fluid ounces     |                    |
|---------------------|--------------------|
| Saliva              | 34 (1 l)           |
| Water from Drinking | 77 (2.3 l)         |
| Bile                | 34 (1 l)           |
| Pancreatic Juice    | 68 (2 l)           |
| Gastric Juice       | 68 (2 l)           |
| Intestinal Juice    | 34 (1 l)           |
| <b>Total</b>        | <b>313 (9.3 l)</b> |

### WATER REABSORBED BY THE ALIMENTARY CANAL

| In fluid ounces         |                    |
|-------------------------|--------------------|
| Small Intestine         | 280 (8.3 l)        |
| Large Intestine         | 30 (0.9 l)         |
| Subtotal                | 310 (9.2 l)        |
| Water Lost in the Feces | 3 (0.1 l)          |
| <b>Total</b>            | <b>313 (9.3 l)</b> |

**CAECUM**  
Initial section of the large intestine

**ILEUM**  
Final section of the small intestine, linked with the large intestine

**ANUS**  
Opening in the large intestine through which the feces exit

**RECTUM**  
The final point of the accumulation of the feces. Its storage capacity is small.

**SIGMOID COLON**  
contains a structure that permits the gases to pass without pushing the feces.

**JEJUNUM**  
The intermediate part of the small intestine, which links the duodenum with the ileum

**ASCENDING COLON**  
The water and mineral salts are absorbed along the length of the large intestine in a process that removes water from the digestive waste.


**DUODENUM**  
The initial section of the small intestine, to which the secretions of the pancreas and the liver are directed

**TRANSVERSE COLON**  
The undigested remains begin to be transformed into feces.

**DESCENDING COLON**  
The feces are solidified and accumulate before being expelled.


## Differences and Similarities

The small intestine is longer than the large intestine. The length of the small intestine is between 20 and 23 feet (between 6 and 7 m), and the large intestine averages 5 feet (1.5 m). Their respective composition and functions are complementary.



## Villa

The internal wall of the small intestine is covered with millions of hairlike structures called villi. Each one has a lymphatic vessel and a network of vessels that deliver nutrients to it. Each villus is covered by a cellular layer that absorbs nutrients. Together with epithelial cells, the villi function to increase the surface area of the intestine and optimize the absorption of nutrients.



# Urinary System

Its basic organs are the kidneys (2), the ureters (2), the bladder, and the urethra. Its function is to regulate homeostasis, maintaining the equilibrium between the water and the chemicals in the body. The first phase of this objective is accomplished when the kidneys produce and secrete urine, a liquid that is eliminated from the body. Urine is essentially harmless, only containing about 2 percent urea, and is sterile: it is composed primarily of water and salts, and it normally does not contain bacteria, viruses, or fungi. The ureters are channels that carry the urine through the body. The bladder is a sac that stores the urine until it is passed to the urethra, a duct through which it will be expelled from the body. ●


## The Urinary Tract

The glomerulus is a grouping of vessels located in the cortex of the kidneys. Most of the filtering that takes place in the nephron is performed in the glomerulus. Wide arterioles carry blood to the glomerulus. Other, thinner arterioles exit from the glomerulus, carrying away blood. So much pressure is generated inside the kidney that the fluid exits from the blood via the porous capillary walls.


## The Bladder in Action

The bladder is continually filled with urine and then emptied periodically. When full, the bladder stretches to increase its capacity. When the muscle of the internal sphincter is relaxed, the muscles of the wall contract, and the urine exits through the urethra. In adults this occurs voluntarily in response to an order issued by the nervous system. In infants, on the other hand, this evacuation occurs spontaneously, as soon as the bladder is filled.

### FILLING



### EMPTYING



## Legend


- 1. BLOOD FILTERING**  
The blood enters the kidney via the renal artery.
- 2. TRANSFER**  
The artery carries the blood into the kidney, where it is filtered by the kidney's functional units, the nephrons.
- 3. STORAGE**  
A certain amount of urine is obtained from the filtrate in the nephrons, and that urine is sent to the renal pelvis.
- 4. ELIMINATION**  
The urine passes from the renal pelvis to the ureter and then to the bladder, where it accumulates until it is eliminated through the tube-shaped urethra.

**15 minutes**

IT TAKES 15 MINUTES FOR LIQUIDS TO CIRCULATE THROUGH THE NEPHRONS.

## COMPONENTS OF URINE

|            |   |
|------------|---|
| <b>95%</b> | <b>Water</b>  |
| <b>2%</b>  | <b>Urea</b> , a toxic substance   |
| <b>2%</b>  | <b>Chloride salts</b> , sulfates, phosphates of potassium and magnesium |
| <b>1%</b>  | <b>Uric acid</b>  |



**ADRENAL GLAND**  
Its name comes from its position above the kidney. It is also called adrenal because its medulla generates adrenalin, and its cortex generates corticoids.

**KIDNEY**  
The organ that secretes urine. The right kidney is slightly lower than the left.

**INFERIOR VENA CAVA**  
channels the blood that returns from the renal vein and the rest of the body to the heart.

**URETER**  
connects each kidney with the bladder.

**RENAL VEIN**  
transports blood filtered by the kidneys to the heart.

**RENAL ARTERY**  
brings the blood from the heart to the kidneys.

**ABDOMINAL AORTA**  
A section of the large circulatory canal. It provides blood to the renal artery.


**BLADDER**  
A hollow organ with a fatty muscle wall in which urine is temporarily stored

## Differences by Sex


The urinary system has a double relationship to the reproductive system. The two systems are linked by their close physical proximity, but they are also linked functionally. For example, the ureter is a vehicle for secretions produced by the glands of both systems. The urinary systems in men and women are different. A

man's bladder is larger, and the male ureter is also larger than a woman's, because in a man the ureter extends to the end of the penis, for a total length of about 6 inches (20 cm); in a woman, on the other hand, the bladder is located at the front of the uterus, and the length of the ureter is approximately 1.5 inches (4 cm).

### IN A MAN



### IN A WOMAN



## Fluid Exchange

The volume of urine that a person expels every day is related to the person's consumption of liquids. Three quarts (2.5 l) a day would be excessive, but a significant decrease in the production of

urine can indicate a problem. The table details the relationship between the consumption of liquid and its expulsion by the different glands of the human body.

### CONSUMPTION OF WATER

|                                  |            |
|----------------------------------|------------|
| <b>Drinking</b>                  | <b>60%</b> |
| 50 fluid ounces (1,500 ml)       |            |
| <b>Food</b>                      | <b>30%</b> |
| 25 fluid ounces (750 ml)         |            |
| <b>Metabolic water</b>           | <b>10%</b> |
| 16 fluid ounces (250 ml)         |            |
| <b>3 quarts (2,500 ml) TOTAL</b> |            |

### EXPULSIÓN DE AGUA

|  |            |
|--|------------|
| <b>Urine</b>                                 | <b>60%</b> |
| 50 fluid ounces (1,500 ml)                   |            |
| <b>Losses through the lungs and the skin</b> | <b>28%</b> |
| 25 fluid ounces (700 ml)                     |            |
| <b>Sweat</b>                                 | <b>8%</b>  |
| 16 fluid ounces (200 ml)                     |            |
| <b>Feces</b>                                 | <b>4%</b>  |
| 3 fluid ounces (100 ml)                      |            |
| <b>3 quarts (2,500 ml) TOTAL</b>             |            |

# Kidneys

Located on either side of the spinal column, the kidneys are the fundamental organs of the urinary system. They regulate the amount of water and minerals in the blood by producing urine that carries away the waste the kidneys discard. They keep the composition of the bodily fluids constant, regulate the pressure of the arteries, and produce important substances such as the precursor of vitamin D and erythropoietin. Every day they process 500 gallons (1,750 l) of blood and produce 2 quarts (1.5 l) of urine. The kidneys measure approximately 5 inches (12 cm) long and 3 inches (6 cm) wide. Their weight is only 1 percent of the total body weight, but they consume 25 percent of its energy. If one kidney ceases to function, the body is able to survive with the activity of the other. ●

## The Renal Circuit

Urine is produced in the nephrons in each kidney; there are thought to be a million nephrons in each kidney. From the nephrons the urine flows into the proximal convoluted tubule, where all the nutrients, such as glucose, amino acids, and most of the water and salts, are reabsorbed into the blood. After passing through the nephron the urine is filtered, and it arrives at the common collecting duct where only the residues and excess water are retained.

### 1. ENTRY OF BLOOD

The blood enters the kidney via the renal artery.

### 2. FILTRATION

The blood is filtered in the nephrons, the functional units of the kidneys.

### 3. URINE IS OBTAINED

A certain amount of urine is obtained from the filtrate in the nephrons, and it is sent to the renal pelvis. The filtered blood, free from waste, is sent to the renal vein and reenters the bloodstream.

### 4. URINE

The urine passes through the renal pelvis to the ureter and from there to the bladder, where it accumulates until it is eliminated through the tube-shaped urethra.

### 5. CLEAN BLOOD

The clean blood exits the kidney via the renal vein, which is connected to the vena cava. The blood then returns to the heart.

## 45 minutes

THE FRENCH PHYSIOLOGIST CLAUDE BERNARD (1813-78) WAS THE FIRST TO NOTE THE IMPORTANCE OF THE KIDNEYS.

At that time it was not known that the kidneys filter all the water content of the blood in the body every 45 minutes and that, even so, it is possible to survive with only one kidney (or none, in the case of dialysis).

**RENAL CAPSULE**  
Protective layer that covers each kidney. It consists of white fibrous tissue.

**1 million**

ONE KIDNEY HAS ABOUT ONE MILLION NEPHRONS.

**41 to 51**  
fluid ounces  
(1,200 to 1,500 cc)

IS THE AMOUNT OF URINE ELIMINATED EACH DAY BY AN ADULT.

### RENAL PYRAMID


A fluted structure in the form of a pyramid, located in the renal medulla

**RENAL PELVIS**  
transports the urine to the ureter.

**RENAL VEIN**  
The blood flows out of the kidney through the renal vein toward the vena cava, one of the principal veins of the body.

**RENAL ARTERY**  
A branch of the aortic artery, which provides the kidney with blood

**URETER**  
The tube that transports the urine to the bladder




## Glomerulus

A grouping of vessels and capillaries in the kidney's cortex, or sheath. Most of the filtering done by the nephrons takes place there. The wide, afferent arterioles bring blood to the glomerulus. Other, narrower, efferent arterioles lead out of the glomerulus, transporting blood. Inside the glomerulus so much pressure is generated that substances in the blood pass out through the porous capillary walls.

## Nephrons

The functional units of the kidney that filter the blood and produce urine. The basic structure of the nephron consists of two parts: (1) the renal or Malpighian corpuscle, where filtration occurs, including the glomerulus and Bowman's capsule that envelops it; and (2) the renal tubule, a tube that collects the filtered liquid (urine) that is to be eliminated from the body.



# Endocrine System

Consists of the glands inside the body that secrete approximately 50 specific substances called hormones into the blood. The hormones activate or stimulate various organs and control reproduction, development, and metabolism. These chemicals control many of the body's processes and even meddle in our love lives. ●

## The Hormonal Message


The endocrine system is made up of the so-called endocrine glands. This complex, controlled by the pituitary (hypophysis), or master, gland, includes the thyroid, parathyroid, pancreas, ovaries, testicles, adrenals, pineal, and hypothalamus. The role of these glands is to secrete the many hormones needed for body functions. The word "hormone" comes from the Greek *hormon*, which means to excite or incite. The term was suggested in 1905 by the British physiologist Ernest Starling, who in 1902 assisted in the isolation of the first hormone, secretin, which stimulates intestinal activity. Hormones control such functions as reproduction, metabolism (digestion and elimination of food), and the body's growth and development. However, by controlling an organism's energy and nutritional levels, they also affect its responses to the environment.

## Pituitary Hormones

- ACTH** Adrenocorticotropic hormone. It goes to the adrenal gland.
- TSH** A hormone that stimulates the thyroid to produce the thyroid hormones, which influence metabolism, energy, and the nervous system.
- GH** Growth hormone
- FSH** Follicle-stimulating hormone
- LH** Luteinizing hormone; testosterone and estrogen
- MSH** Hormone that stimulates the melanocyte of the skin.
- ADH** Antidiuretic hormone
- PRL** Prolactin; stimulates milk production by the mother.
- OXYTOCIN** Stimulates the release of milk by the mother, as well as the contractions needed during labor.

## The Master Gland

The pituitary gland, or hypophysis, is also called the master gland because it controls the rest of the endocrine glands. It is divided into two parts, the anterior lobe and the posterior lobe. The pituitary hormones stimulate the other glands to generate specific hormones needed by the organism.




## The Confidence Hormone

Oxytocin, the hormone that influences basic functions, such as being in love, orgasm, birth, and breast-feeding, is associated with affection and tenderness. It is a hormone that stimulates the formation of bonds of affection.

# A Kiss

Kissing is considered to be healthy because, among other things, it stimulates the production of numerous hormones and chemical substances.

**PHEROMONES** are chemical substances released by the glands distributed in the skin that are related to sexual attraction. They act like hormones (whether or not they are actually hormones is a matter of dispute). They transmit sensations of attraction, excitation, and rejection.



**PITUITARY GLAND OR HYPHYSIS:**  
The pituitary gland is located at the base of the brain, and it is the most important control center of the endocrine system. It releases oxytocin in anticipation of a kiss; it is the hormone that stimulates orgasm, birth, and breast-feeding; and it is also associated with psychological behaviors such as affection and tenderness.

**1**  
PINEAL  
PARATHYROID  
THYROID

**MAMMARY GLANDS**  
The LH hormone excites the production of estrogen hormones, which regulate female sexuality; the activity of the mammary glands; and the menstrual cycle. Puberty is marked by an increase of estrogen production.

**2**  
**ADRENAL GLANDS**  
The hormone adrenaline "awakens" the body before a risk—or before a kiss. It increases the cardiac rhythm, the arterial pressure, the level of glucose in the blood, and the flow of blood to muscles.

**3**  
**PANCREAS**  
Before a kiss, it increases the glucose level in the blood. The pancreas produces the two hormones that control the blood sugar level: insulin and glycogen.

**4**  
**SEXUAL GLANDS**  
The reproductive system responds to the same pituitary hormones in men and women: luteinizing hormone (LH) and follicle-stimulating hormone (FSH). (Both are released and activated in anticipation of a kiss.)

# Male Reproductive System

The male reproductive system is the complex of organs that leads to a man's production of one of two types of cells necessary for the creation of a new being. The principal organs are the two testicles, or male gonads, and the penis. The testicles serve as a factory for the production of millions of cells called spermatozoa, which are minute messengers of conception bearing the genetic information for the fertilization of the ovum. The penis is linked to the urinary apparatus, but for reproduction it is the organ that functions as a vehicle for semen, a liquid through which the spermatozoa can reach their destination. The word "semen" comes from Greek and means "seed." ●

## Testicles and Spermatozoa

The seminiferous tubes in the testicles are covered with spermatogenic cells. By a process of successive cellular divisions called meiosis, the spermatogenic cells are transformed into spermatozoa, the term for the gametes, or male sexual cells, the bearers of half of the genetic information of a new individual. The spermatozoa fertilize the ovum, or

female gamete, which contains the other half of the genetic information. The number of chromosomes is kept constant because the spermatozoa and the ovum are both haploid cells (cells that possess half of the genetic information of other cells). When the two haploid cells unite, the fertilized egg, or zygote, is a diploid cell (which contains a total of 46 chromosomes).

### THE TESTICLES

The sexual organs that produce sperm


**SPERMATIC CORD**  
Connects the testicles to the body

**BLOOD VESSELS**  
are numerous, and they connect to the vas deferens.

**DEFERENT DUCT (DUCTUS DEFERENS)**  
Connects the epididymis with the seminal vesicle

**EPIDIDYMIS**  
The tube where the semen matures and enters the deferent duct

**SEMINIFEROUS TUBE**  
Semen is produced here. Each testicle has thousands of them.




### SEMINIFEROUS TUBULE

Where spermatozoa are produced


**SPERMATOCYTES** are formed by repeated reproduction of the spermatogonia.

**MATURE SPERM**  
The division of the spermatocytes forms spermatozoa.

**SPERMATOZOA** move from the seminiferous tubules to the epididymis, where they are stored.



### SPERMATOZOON Male reproductive cell



## Internal Structure of the Penis

The most characteristic organ of a man's body, the penis has a cylindrical form with a double function for the urinary system and the reproductive system. In its normal, or relaxed, state the penis carries urine from the body via the urethra during urination. In its erect state its rigidity permits it to be introduced into the female vagina and to release sperm through ejaculation. The penis consists of spongy tissue


supplied with blood vessels. The circulatory system supplies abundant blood to these vessels during sexual arousal so that the spongy tissue becomes swollen because of the filled blood vessels. This produces an erection, which makes copulation possible. The body of the penis surrounds the urethra and is connected to the pubic bone. The prepuce covers the head (glans) of the penis, which is located above the scrotum.

### THE PENIS

transfers the sperm to the woman.

**EXTERNAL SKIN**  
Covers the whole organ

**URETHRA**  
Extends through the spongy tissue



**SPONGY TISSUE**  
Swells when it fills with blood, sustaining the erection

**ARTERY**  
Its dilation causes the erection.


**CAVERNOUS BODIES**  
Like the spongy tissue, these also fill with blood.

**93° F (34° C)**

IS THE IDEAL APPROXIMATE TEMPERATURE REQUIRED BY THE TESTICLES TO PRODUCE SEMEN.

It is lower than the normal body temperature of 98.6° F (37° C) because that temperature would be too warm for this function. This explains why the testicles are outside of the body. Depending on the ambient temperature, they extend or retract.

### THE GLANDS



## Prostate and Epididymis

The prostate is a gland located in front of the rectum and below the bladder. It is the size of a walnut, and it surrounds the urethra, a tube that carries urine from the bladder. The prostate produces the liquid for the semen, which carries the spermatozoa. During orgasm, muscular contractions occur that send the liquid from the prostate out through the urethra. The epididymis is a duct that, when stretched out to its full length, is approximately 20 feet (5 m) long. In the male body it is extremely coiled and lies on the back surface of the testicles, where it is connected with the corresponding vas deferens. The vas deferens stores spermatozoa and provides them with an exit route. The seminal vesicles are two membranous receptacles that connect to both sides of the vas deferens and form the ejaculatory duct.

**150 million**

THE NUMBER OF SPERMATOZOA THAT EACH 0.06 CUBIC INCH (1 ML) OF SEMEN CAN CONTAIN

**PROSTATE**  
Gland that secretes a creamy liquid (semen) along with the ejaculated sperm

**EJACULATORY DUCT**  
A short tube that carries the sperm to the urethra

**TESTICLE**  
Gland that produces sperm

**SCROTUM**  
Sac of skin that contains the testicles


**BLADDER**  
Receptacle of the urinary system that temporarily stores urine

**SEMINAL VESICLE**  
Secretes fluid and assorted nutrients into the sperm during ejaculation

**EPIDIDYMIS**  
Spiral tube where the sperm matures

**PREPUCE**  
Covers and protects the head of the penis

**GLANS**  
Extremity of the penis



# Female Reproductive System

Its primary function is the production of ova, and its organs are arranged so as to allow the fertilization of the ovum by a spermatozoon of the male reproductive system and from that moment to facilitate a series of processes known collectively as pregnancy for the creation of a new being. The internal organs of the female reproductive system are the vagina, the uterus, the ovaries, and the fallopian tubes. The external genitalia, generally referred to as the vulva, are relatively hidden and include the labia majora and minora, the clitoris, the urinary meatus, Bartholin's glands, and the vaginal orifice that leads to the vagina. The menstrual cycle governs the system's function. ●



## 2 million

IS THE APPROXIMATE NUMBER OF OVA THAT AN INFANT GIRL HAS IN HER BODY AT BIRTH. BETWEEN THE AGES OF 10 AND 14, ABOUT 300,000 TO 400,000 OVA REMAIN, OF WHICH ONLY 400 WILL MATURE COMPLETELY OVER HER LIFETIME.



## Menstruation: The Key to Female Reproduction

The female reproductive system is more protected than that of the male because the bony structure of the pelvis houses and shields it. Its development begins around the age of 10, when the female hormones begin a three- to four-year process during which the genital organs, the breasts, the pubic hair, and the general shape of the body change. Toward the age of 13, sometimes earlier or later, the first menstruation, called the menarche, occurs, signaling the beginning of a woman's fertility. She will normally remain fertile for several decades. During menopause, when fertilization is no longer possible, a woman's sexual life is usually not affected and can continue normally.

## The 28 Days of the Menstrual Cycle



Cilia, tiny hairlike structures, move the ova very smoothly.



**CLITORIS:** A sensitive protuberance of tissue that responds to sexual stimulation

# The Senses and Speech

## HEALTHY AND SHINY SKIN

The health of the skin depends upon a diet that provides the organism with a sufficient amount of proteins and minerals.

## SMELL AND TASTE 70-71

## TOUCH AND THE SKIN 72-73

## ANATOMY OF THE EYE 74-75

## THE MECHANICS OF HEARING 76-77

## SPEECH AND NONVERBAL LANGUAGE 78-79



Everything we know about the world comes to us through the senses. Traditionally it was thought that we had only five: vision, hearing, touch, smell,

and taste. However, for some time now we have known that we have many additional classes of sensations—such as pain, pressure, temperature, muscular sensation, and a sense of

motion—that are generally included in the sense of touch. The areas of the brain involved are called somatosensory areas. Although we often take our senses for granted, each


one of them is delicate and irreplaceable. Without them it is nearly impossible to understand our surroundings. They are a bridge between us and everything alive on the Earth. ●

# Smell and Taste

These two senses of the body function as powerful allies of the digestive system. Taste involves the perception of dissolved chemical substances arriving, for example, in the form of food. Taste sensation is principally seated on the upper surface of the tongue, and saliva is a fundamental ingredient for dissolving and tasting. Smell involves the perception of these chemicals when they take the form of dispersed aromas. The sense of smell operates at a greater distance than that of taste and can capture substances floating in the environment. It is thought that smell is some 10,000 times more sensitive than any of our other senses. ●

## Olfactory Cells

These are located deep in the nasal cavity, extended over the so-called olfactory epithelium. It is calculated that some 25 million cells are located there. Their useful life is, on average, 30 days, after which they are replaced by new cells. They have a dual function. One end of each olfactory receptor is connected to the olfactory bulb and transmits the sensations it records, so that the bulb is able to send the nerve impulses to the brain with the necessary information. The other end terminates in a group of cilia, or microscopic hairs, which serve a protective function within the mucosa.




**10,000**

THE NUMBER OF ODORS THE SENSE OF SMELL CAN DISTINGUISH



## Gustatory Papillae


The tongue is the principal seat of the sense of taste. It has great mobility at the bottom of the mouth and contains between 5,000 and 12,000 gustatory papillae. Each of these papillae has approximately 50 sensory cells, which have an average life span of 10 days. The salivary glands are activated by the ingestion of food or just before ingestion. They generate an alkaline liquid called saliva, a chemical solvent that, together with the tongue, breaks down the substances of which food is composed and makes it possible to differentiate between them by taste. The tongue takes charge of perceiving these tastes via the fungiform papillae, which give the tongue its rough appearance.



## 4 Flavors

THE SURFACE OF THE TONGUE CAN DISTINGUISH: SWEET, SALTY, SOUR, AND BITTER.

### GUSTATORY PAPILLA



### SURFACE OF THE TONGUE



## Taste Center

The area of the brain that receives information from the tongue

IMPULSES FROM THE GLOSSOPHARYNGEAL NERVE

TRIGEMINAL NERVE IMPULSES

**OLFACTORY BULB**  
Located behind the nose, it receives information directly from the nasal fossae.

**OLFACTORY NERVE FIBERS**

The upper section of the nasal fossae is the seat of the olfactory nerve and the sense of smell. The complex, as a whole, is called the "yellow spot."

**GLOSSOPHARYNGEAL NERVE**  
Collects the sensory impressions of taste from the posterior one third of the tongue

**TRIGEMINAL NERVE**  
Receives sensory information from the entire face, but especially from the nasal fossae and the mouth

**TONGUE**  
The principal seat of the sense of taste, with its thousands of gustatory papillae

# Touch and the Skin

**T**ouch is one of the five senses. Its function is to perceive sensations of contact, pressure, and temperature and to send them to the brain. It is located in the skin (the integument), the organ that covers the entire outside of the body for protection. The cellular renewal of the skin is continuous, and when recording external changes (of temperature, for example), it activates reflexive mechanisms to open or close the pores and, thus, to maintain the required body temperature. Secretions, such as those of the sweat glands, also contribute to this process by reducing heat. Like the sebaceous glands, they are important for hydration and hygiene in the areas where they are located. ●

## The Thinnest and the Thickest

▶ The thinnest skin on the body is that of the eyelids.  
 ▶ The thickest is that of the sole of the foot. Both provide, like all the skin of the body, a protective function for muscles, bones, nerves, blood vessels, and interior organs. It is thought that hair and fingernails are modified types of skin. Hair grows over the whole body, except for the palms of the hands, the soles of the feet, the eyelids, and the lips.

### UPPER SQUAMOUS LAYER

or hornlike layer. It is superficial, granulated, and transparent.

### EPIDERMIS

Impermeable to water. It is external and is the thinnest layer. It is wear-resistant.

### DERMIS

The middle layer, which is below the epidermis and is thicker

### SUBCUTANEOUS FAT

Also called the hypodermis. It is an energy reservoir that acts as a thermal insulator and cushion.

### MERKEL DISK


or Merkel cell. It is specialized to detect pressure. They are located in the palms of the hand and the soles of the feet.

### RUFFINI CORPUSCLE

Capsules deep in the skin and the ligaments; stretch receptors

### VENULAE

Small blood vessels. When they break, because of a blow for example, hematomas appear.



### MEISSNER CORPUSCLES

Their task is to detect fine touch. They are in the fingers, breasts, genitals, and lips.

### PACINIAN CORPUSCLES

Oval-shaped bodies, these receptors are sensitive to pressure and vibration. They are visible to the naked eye, measuring 0.02 inch (0.5 mm) in length. They are located deep in the hypodermis.

### SUDORIFEROUS GLANDS

regulate the temperature of the body. The eccrine glands are tubular and cover the entire surface of the body. The apocrine glands are specialized; they are located only in the armpits and the genital area. They are large and do not empty directly onto the skin but into the pilous follicle.

### SEBACEOUS GLAND

A holocrine gland near the surface of the skin, it secretes an oily substance that coats the skin and keeps it soft and flexible.

### HAIR FOLLICLE

The sheath that covers a hair

### BULBUS PILI (HAIR BULB)

The lower extremity of the hair. It is thick and surrounds the nerve papilla.

### SUDORIFEROUS CONDUIT

Sweat, a liquid secreted by the sudoriferous gland and composed of water, salts, and toxins, passes through this conduit.

### HAIR SHAFT

The part of the hair bulb that extends above the skin

### BASAL CELL LAYER

The deepest layer of the epidermis

# Skin

A MAN'S SKIN PRODUCES A GREATER QUANTITY OF SEBUM, OR OILY SECRETION, THAN THAT OF A WOMAN. THEREFORE, A MAN'S SKIN IS TOUGHER AND GREASIER THAN A WOMAN'S.

## Responding to Temperature

▶ When the skin perceives the sensation of cold, the blood vessels and the muscles contract. The purpose of this is to prevent the escape of heat; as a consequence, the hairs stand on end, resulting in what is commonly called goose bumps. The opposite happens in response to heat: the


blood vessels dilate because the skin has received instructions from the brain to dissipate heat, and the vessels emit heat as if they were radiators. The sudoriferous glands exude sweat onto the surface of the skin. The evaporation of sweat removes heat from the skin.

**HAIR STANDING ON END**  
 This is caused by muscular contraction and guided by the open pore.


**GOOSE BUMPS**  
 The epidermis surrounding the hair also forms a protuberance, or bump.

**PERSPIRATION**  
 comes to the surface, taking up heat.

**DILATED VESSEL**



**CONTRACTED VESSEL** **CONTRACTED MUSCLE**



**SUDORIFEROUS GLAND** secretes sweat, which rises to the surface of the epidermis.

### A COLD

As with fear, cold puts a person's hair on end—literally! The contraction of both the blood vessels and the muscles causes the hair on the skin to stand on end.

### B HEAT

causes the secretion of sweat, which increases as the temperature rises. Cooling is caused by the evaporation of the sweat, which carries heat away from the body.

## Nails

▶ They are hard and hornlike. Their principal component is keratin, a protein that is also present in the skin and the hair. Their function is to cover and protect the ends of the fingers

and toes. Their cells arise from the proliferative matrix and advance longitudinally. Once outside the body, they die. That is why there is no pain when you cut them.

### A SHIELD FOR THE FINGERS AND TOES

The fingernail can be seen with the unaided eye, but the protective structure of the fingers

and toes also includes their matrix and bone structure.

### NAIL


The cells called corneocytes are full of keratin.

### NAIL MATRIX

### ROOT

The keratinization process pushes the cells outward, toward the nail.

### A BONE OF THE FINGER




# Anatomy of the Eye

Almost all the information that comes from the world into the brain depends on vision. The eye, one of the most complex organs of the body, allows us to judge the size and texture of an object even before we touch it or to know how far away it is. More than 100 million cells are activated instantaneously in the presence of light, converting the image perceived into nerve impulses that are transmitted to the brain. For this reason 70 percent of all the body's sensory receptors are concentrated in the eyes. It is vital that the brain receive information in a correct form: otherwise, things would appear to be distorted. ●

## How Does the Eye See?

An object reflects light in all directions. The light is partially focused by the cornea, which refracts the entering rays. The lens focuses the rays of light, changing its shape to give the light the focus it needs. The rays cross the inside of the eye. The light arrives at the retina, and



the rays perceived produce an inverted image of the object. The retina sends this information to the brain, which processes it and constructs a correct image of the object. Thanks to the fovea the eye can perceive details such as the shape and color of objects.



## Seeing in Three Dimensions

When the eyes look ahead, the field of vision is binocular because both eyes see at the same time, each one from a different perspective. The images are superimposed at an angle of

approximately 120°. This allows stereoscopic vision (two images of the same object from different angles, without deformation). The brain perceives the image in three dimensions.




## Rods and Cones


There are two types of photosensitive cells that transform light into electrical impulses. The rods function to "see" only in black and white. The cones are found in the fovea (the part of the retina where the light is focused with the most precision) and allow us to see colors in detail. The impulses of both types of cells pass through the nerve-cell connectors and arrive at the optic nerve.

## VISION PROBLEMS

The most common problems involve seeing things out of focus. These are hypermetropia and myopia. Both can be corrected by the use of lenses. A hereditary condition called color blindness, or Daltonism, is less frequent.



**A HYPEROPIA (FARSIGHTEDNESS)**  
This condition makes it difficult to see objects that are close to us. It happens when the image is focused behind the retina. It can be corrected by convex (converging) lenses, which make the rays of light strike the retina properly.




**B MYOPIA (NEARSIGHTEDNESS)**  
Here the image is formed in front of the retina. This usually occurs when the ocular sphere is longer than normal. The myopic person has difficulty seeing distant objects. Myopia is corrected with concave (diverging) lenses or by an operation using a laser.

**C COLOR BLINDNESS**  
Persons who are color blind have problems distinguishing between certain colors. It is a hereditary illness caused by the absence of the types of cone cells that are sensitive to yellow, green, or blue.

## Protection

THE EYELIDS PROTECT THE EYES FROM BRIGHT LIGHT AND DUST. THE EYELASHES REDUCE EXCESS LIGHT. THE EYEBROWS KEEP SWEAT OUT OF THE EYES. THE NASOLACHRYMAL DUCT TAKES THE TEARS FROM THE NASAL CAVITY TO THE LACHRYMAL DUCTS—THE OPENINGS AT THE EXTREMITIES OF THE EYES—WHERE THEY ARE SECRETED.



# Mechanics of Hearing

The ear is the sense responsible for hearing and maintaining equilibrium. When the ear perceives sounds, it registers its characteristics—volume, tone, and timbre—as well as the direction from which it comes. A group of nerve terminals receives information about the body's motion and transmits this to the brain in order to maintain dynamic and static equilibrium. The ear is important for communication by means of speech or other means, such as music. The ear is capable of distinguishing a great range of volumes, from the buzzing of a mosquito to the roar of an airplane. The ear contains the smallest bones of the body. ●

## Frequencies

The frequency of a sound is the speed at which the sound makes the air vibrate. It is measured in units called hertz (Hz): one hertz corresponds to one vibration per second. High frequencies correspond to high sounds, and low frequencies to low sounds. The human ear can hear sounds between 20 and 20,000 vibrations per second.

### FREQUENCIES AUDIBLE TO HUMANS AND ANIMALS

| SUBJECT             | MINIMUM  | MAXIMUM    |
|---------------------|----------|------------|
| Person 10 years old | 20 Hz    | 20,000 Hz  |
| Person 60 years old | 20 Hz    | 12,000 Hz  |
| Dog                 | 60 Hz    | 45,000 Hz  |
| Frog                | 100 Hz   | 3,000 Hz   |
| Bat                 | 1,000 Hz | 120,000 Hz |
| Cat                 | 60 Hz    | 65,000 Hz  |

## Organ of Corti


Contains ciliary cells that collect vibrations and transform mechanical energy into energy of the nervous system. Next the impulses arrive at the brain via the cochlear nerve. The nerve cells do not have a regenerative capacity, so if they are lost along with them.



## Equilibrium

Dynamic and static equilibrium are maintained by the inner ear. Above the cochlea there are three semicircular canals, which are spiral-shaped conduits. Inside the canals are a gelatinous membrane and thousands of cilia, or hairlike structures, traversed by a cranial nerve that connects them to the brain. When the head moves, this

gelatinous membrane is displaced, and the tiny cilia send the brain information about the velocity and the direction of this displacement. On that basis the body can move as required to maintain equilibrium. Excessive motion produces seasickness, because the cilia continue to move even when the motion stops.




### LINEAR MOTION

The displacement of the gelatinous membrane, caused by a difference in height, changes the structure of the auditory cilia.

### ROTATIONAL MOTION

The gelatinous membrane takes on the shape of a dome so that lateral motion will also disturb its equilibrium.

## THE PROCESSING OF SOUND



**1 ENTRANCE**  
The sound wave is captured by the ear and enters via the auditory canal.

**2 VIBRATION**  
The tympanum registers the intensity of the wave.

**3 TRANSMISSION**  
The vibration of the eardrum is transmitted to the hammer, from the hammer to the anvil, from the anvil to the stirrup,

from the stirrup to the oval window, from there to the cochlea, and from there to the cochlear nerve, whose electrical impulses are transmitted to the brain.

## EXTERNAL EAR

**AURICULAR PAVILION**  
or pavilion of the ear. The only visible part of the ear. It consists of cartilage and skin. It captures the sound vibrations and redirects them into the ear, preventing echo.

**EXTERNAL AUDITORY CANAL**  
It is on average 1 inch (2.5 cm) long.

## MIDDLE EAR

**EARDRUM**  
It vibrates, and its vibrations are perceived by the three bones of the inner ear (hammer, anvil, and stirrup).

**LIGAMENT**  
Maintains the hammer in its position.

**HAMMER**  
Transmits the eardrum's vibrations. It is 0.3 inch (8 mm) long.

**ANVIL**  
Receives the hammer's vibrations

**STIRRUP**  
Transmits vibrations to the oval window. It is 0.15 inch (4 mm) long.

## INNER EAR

### VESTIBULAR APPARATUS

**EUSTACHIAN TUBE**  
Connects the middle ear with the back of the nose and the pharynx. It controls the air pressure in the ear, at times through yawning.

### VESTIBULAR NERVE

**VESTIBULE**  
Oval window or labyrinth. Encased in the temporal bone, one conduit goes to the cochlea (for hearing), and two go to the semicircular canals (for equilibrium).

**COCHLEAR NERVE**  
Brings the nerve impulses of the inner ear to the brain

**COCHLEA**  
A tubular, spiral structure filled with fluid that receives vibrations, which are then transmitted to the brain by the organ of Corti. These vibrations produce waves in the fluid, which stimulate the cilia of the organ of Corti. The cochlea allows differences in volume to be identified.

# Speech and Nonverbal Language

Speaking is the verbal expression of a language and includes articulation, which is the manner in which words are formed. However, one can make oneself understood by means other than the spoken word, such as with signs, facial expressions, or gestures. These are examples of what is called nonverbal communication, whereby even silence can be expressive. ●

## Language and Speech


Linguists explain that the organs of speech necessary to express language in sounds, which constitute the fundamental elements of speech, are just as independent of language as a telegraph apparatus is of the Morse code it transmits. Linguists also compare language (the verbal system of communication that is almost always written) with a symphony whose score exists independently of the musicians who play it. The vocal cords behave like instruments. They are folds of muscle that open and close to produce sounds. When they are not producing vocal sounds, normal breathing occurs. Under the control of the brain, the vocal cords produce sounds that are modified by the lips and the tongue to create speech.



**A Passage of Air**  
The vocal cords relax and open to allow air to pass to and from the lungs. No sound is produced because the vocal cords do not vibrate, which is the basis for sound.



**B Sound Is Produced.**  
The vocal cords stretch horizontally above the larynx. They tighten when air flows past them. Sound is the vibration of the vocal cords.



## Language of Gesture

The expressivity of the human face is the result of more than 30 muscles that tense small areas of the skin when they contract. Most of them operate in pairs. Their use is reflexive in most cases, as in the gestures, facial

expressions, and grimaces that often accompany the spoken word and are silent expressions in certain situations. In other cases, however, such as the art of acting, their use and mastery can be studied and practiced. The usual example of

this is the art of mimes, who can stage complete dramas that are transmitted very effectively with no recourse to the spoken word or use of the voice.


**Broca**  
Controls the articulation of speech.

**Visual**  
Receives and analyzes the nerve impulses from the eye.

**Wernicke**  
Controls the comprehension of language.


### FACIAL EXPRESSIONS

The muscles of the face also serve to communicate feelings.




### FROWNING

Action of the corrugator muscles on the eyebrows



### SURPRISE

The muscles of the forehead are contracted.



### SMILE

Action of the smile muscles and the zygomaticus major

# Control Centers

**NERVE CELLS**  
Microscope  
photograph of a  
group of neurons


**NERVOUS SYSTEM 82-83**

**NEURONS 84-85**

**THE BRAIN 86-87**

**THE PERIPHERAL NERVES 88-89**

**DREAM AND MEMORY 90-91**



**B**rain tissue consists of thousands of millions of neurons that continually send each other signals through connections called synapses.

Thanks to this network the brain can remember, calculate, decide, think, dream, create, and express emotions. We invite you to understand the secrets about how these activities of the brain

are accomplished. What determines the formation of synapses and neuronal networks? Where are intelligence and memory located? Is it possible to stimulate brain cells? What happens

during a dream? What are nerves, and how are they formed? What functions are carried out by each region of the brain? You will find all this and much more in this chapter, including incredible images. ●

# Nervous System

The body's most complex system, many of whose characteristics and potentialities are still unknown. Together with the endocrine system, the brain has the job of controlling the organism. Its specific functions are rapid and intellectual

activities, such as memory, emotions, and will. The brain is divided into three portions: the central (the brain and the spinal cord), the peripheral (nerves of the spinal cord and cranium), and the vegetative (or autonomic function). ●

## The Great Coordinator

The nervous system acts as the great coordinator of the functions of all the parts and organs of the body. In simpler organisms, such as unicellular organisms, the same cell receives sensations and responds to them without requiring intermediation or specialized coordination. However, in more complex organisms such as the human body, the cells of the different parts of the body are differentiated, as are the functions of the organs that these cells make up. Thus there are receptor cells, which receive stimuli (such as the cells of the organs linked to the eye or the senses). There are also effector cells (such as those of the muscles or the glands), which are involved in the organism's responses. The nervous system links these functions together through its three principal parts: the brain, the spinal cord, and the nerves in general. The nerves consist of numerous axons and dendrites, enveloped by a sheath of conjunctive tissue. These groups of neurons are called ganglia when they are outside the brain and the spinal cord, and they are called nuclei when they are inside.

**300 feet (90 m) per second**

THE SPEED AT WHICH IT IS CALCULATED THAT A NERVE IMPULSE TRAVELS IN A NERVE WITH A MYELINATED SHEATH

## Central

Consists of the brain (cerebrum, cerebellum, and spinal bulb) and the spinal column. It receives information from the sense organs and sends instructions to the muscles and other organs. It also processes and coordinates the nervous signals transmitted by the peripheral system.

## Peripheral

Its functions are to provide information to the central nervous system and to coordinate movements. It is divided into sensory, somatic, and autonomic divisions. The sensory division informs the central nervous system about external changes detected by the senses (such as pain) or internal changes (such as a full bladder). The somatic division sends instructions for the conscious movement of different muscles, such as for shaking hands or kicking a ball. The autonomic division (vegetative nervous system) automatically controls the functioning of the internal organs, such as the heart.

**BRAIN**  
The great center of activity

**FACIAL NERVE**  
Permits the movement of facial muscles

**COMMON PALMAR DIGITAL NERVE**  
Controls the muscles of the palm of the hand

**CEREBELLUM**  
Controls equilibrium and the coordination of movements

**VAGUS NERVE**  
Branches out toward various organs and participates in the control of cardiac rhythm

**SPINAL CORD**  
A bundle of nerves that starts at the base of the brain and extends along two thirds of the vertebral column

**LUMBAR PLEXUS**  
Controls the lower region of the shoulder and part of the hip and the legs. It receives the nerves that arise in the lumbar region of the spine.

**MEDIAL NERVE**  
Controls the muscles that cover the wrist and surround the forearm

**CUBITAL NERVE**  
Muscles of the forearm and hand

**SCIATIC NERVE**  
Innervates the joints and muscles of the hip tendon

## Structure of a Nerve

**GANGLIA**  
Group of neuronal cells

**EPINEURAL**  
envelops the nerve.

**PERINEURAL**  
envelops the fascicles.

**NERVE FIBER**  
transmits nerve impulses to the entire body.

**BLOOD VESSELS**

**NERVE FASCICLE**  
Consists of a bundle of nerve fibers

**0.001**


WHEN A FIBER TRANSMITS A NERVE IMPULSE, A CERTAIN AMOUNT OF TIME IS NEEDED BEFORE IT CAN TRANSMIT THE NEXT IMPULSE. THIS "REST," WHICH IS KNOWN AS THE REFRACTORY PERIOD, LASTS BETWEEN 0.001 AND 0.005 SECOND.

**TIBIAL NERVE**  
Innervates the muscles of the leg


**COMMON NERVE OF THE FIBULA**  
Controls the movements of the muscles that lift the leg

**EXTERNAL PLANTAR NERVE**  
Permits flexion of the toes

## PAIN AND THE NERVOUS RESPONSE




**SIGNALS**  
The nerve endings receive pain signals that arrive at the brain through the spinal column.



**REFLEX**  
The retransmission of nerve impulses provokes the reflex of withdrawing the hand.

**1** The reflex action of withdrawing the hand or another part of the body from an object that may cause pain (for example, by being pricked or subjected to heat) is an automatic response. Thus the pain receptors in the skin of the fingers detect the heat stimulus from a flame and send nerve impulses via the sensory nerves to the spinal cord. The impulses move at high speed through the medulla along pathways of associated neurons.

**2** Within thousandths of a second after detecting the pain stimulus, the nerve impulses reach the motor neurons. These neurons transmit the impulses to the flexor muscles in the upper part of the arm. Once the impulses have been received, the muscles contract, the arm bends, and the fingers move away from the flame before any pain is consciously felt.



**PAIN**  
The signal arrives at the brain, and the person perceives and experiences pain.

**3** The pain is felt when the nerve fibers in the spinal cord bring the nerve impulses to the sensory areas of the brain. The sensation of pain is felt only after the hand has been withdrawn from the fire by reflex action.

# Neurons

Neurons are cells that make up the nervous system. Their function is to transmit impulses in the form of electrical signals carrying information to the brain and from there to the periphery. The neurons provide the basis for the system's activities and form a highly complex communication network. They are surrounded and protected by other nerve cells that are not excitable, called glial cells, which constitute more than half of all an organism's nerve cells. ●

## Plasticity

Each neuron is essentially made up of a body, an axon, and many dendrites. The communication that is established among neurons resembles a conversation, or a continuous ongoing exchange of information. Until recently it was thought that neurons, unlike other tissue, could not be regenerated once lost. Today not only is it known that this is not so, but it is also known that the capabilities of the brain and the nervous system are more a function of the circuits and connections that are established among the neurons than of the number of neurons per se. These connections are activated, deactivated, and modified by very diverse factors (such as learning, food, habits, exercise, the effects of drugs and accidents). Some neurons can regenerate if they have been damaged.

**SYNAPTIC NODE**  
The terminal point of the axon branch, it contains chemicals that transmit nerve impulses.

**MYELIN SHEATH**  
A fatty layer that insulates the axons of some neurons in order to accelerate nerve impulse transmission. In the peripheral nervous system, this sheath consists of Schwann cells.

**RANVIER'S NODE**  
An opening in the myelin sheath that aids in the transmission of nerve impulses

**MITOCHONDRIA**  
provide energy to the cell.

**AXON**  
Nerve fiber that transmits impulses

**NUCLEUS**  
Contains the neuron's genetic material

**SCHWANN CELL**  
A glial cell that surrounds an axon

**CELL BODY**  
Generates the vital processes of the neuron cell

**DENDRITE**  
Protuberance that captures signals from other neurons. A neuron can have about 200 dendrites; the number of dendrites varies from cell to cell.


**100 billion**  
THE NUMBER OF INTERCONNECTED NEURONS IN A HUMAN BEING

**500 million**  
IS THE NUMBER OF SYNAPSES (CONNECTIONS AMONG NEURONS) FORMED IN 0.06 CUBIC INCH (1 CU MM) OF A BRAIN'S NERVE TISSUE. OVERALL, THE BRAIN HAS 1 QUADRILLION SYNAPSES.

## Transmission and Synapses

The synapse is the point of communication between neurons. It comprises a synaptic cleft, a synaptic knob, and a target to which the nerve signal is directed. In order for a neuron to be activated, there must be a stimulus that converts the electrical charge inside the membrane of the cell from

negative to positive. The nerve impulse travels via the axon toward the synaptic knob and brings about the release of chemical substances called neurotransmitters. These in turn can elicit a response from the target to which the stimulus is directed.



### COMPONENTS OF THE SYNAPSE


**SYNAPTIC VESICLES**  
Sacs that contain neurotransmitter molecules brought to the synaptic cleft via calcium ions

**NEUROTRANSMITTERS**  
Chemical molecules released by the synaptic vesicles toward the synaptic cleft. From there they influence the transmission of the impulse.

**POINT OF RECEPTION**  
The neurotransmitter combines with protein receptors at the point of neuronal communication.

**CELL MEMBRANE**  
The charge inside the cell membrane is negative.

**MICROTUBULES**  
Structures that help transport neurotransmitter molecules to the synaptic membrane.



### TRANSMISSION OF NERVE IMPULSES

**1 Without Information**  
When the neuron is at rest, the sodium ions inside it are uniformly distributed so that the electrical charge inside the cell membrane is permanently negative.

**2 The Impulse Arrives**  
The arrival of the neurotransmissions at the dendrites causes a reversal of the charge, which becomes positive in this area, giving it a tendency to move in the direction of the negatively charged part of the cell.

**3 Transmission of Information**  
The positive charge travels toward the negatively charged axon until it reaches the synapse and thus the other cell. The areas it has left return to their stable (negative) state.

### TYPES OF NEURONS ACCORDING TO THEIR COMPLEXITY


**UNIPOLAR.** Two branches of the same axon extend from one cell body.

**BIPOLAR.** Two separate axons extend from each end of a cell body.


**MULTIPOLAR.** One axon and a number of dendrites extend from a cell body.

## Neuromuscular Union


This is a special kind of synapse between the neurons and the skeletal muscle fibers that causes voluntary contraction of the muscles.



The axon of a neuron links itself with a muscle fiber. At the point of contact a chemical synapse is produced between the neuron and an effector, a muscle with electrically excitable tissue, and movement results.



**ASTROCYTES** are cells located in cerebral tissue, where they exceed neurons in number. Astrocytes have some delicate protuberances that are linked to the blood vessels and that regulate the flow of nutrients and waste between neurons and blood.



**OLIGODENDROCYTES** are the cells that form the myelin sheath around the nerve fibers of the brain and the spinal column. Their function is similar to that of Schwann cells in the peripheral nervous system

# The Brain


The brain is the body's control center. Underneath its folds more than 100 billion neurons organize and examine incoming information and act as a guide for the organism. In spite of amounting to only 2 percent of the total weight of a human body, the brain alone uses one fifth of the oxygen inhaled. It is one of the most fragile parts of the body and, therefore, one of the most protected. Along with the spinal cord, the brain forms the central nervous system, which gives instructions to the peripheral nervous system. ●

**3 pounds (1.4 kg)**

AVERAGE WEIGHT OF AN ADULT BRAIN. AT BIRTH THE BRAIN WEIGHS BETWEEN 12 AND 14 OUNCES (350 AND 400 G).

## MENINGES


Protective membranes covering the brain




## Meninges

There are three membranes, called meninges, that cover the brain. The outermost one covers the inside of the cranium, and it contains veins and arteries that feed blood to the cranial bones. It is called dura mater. The middle membrane is known as the arachnoid and consists of netlike elastic connective tissue. The pia mater, the thinnest of the three, is the closest to the surface of the cerebral cortex. Its functions are primarily protective.

On one hand it acts as a filter to prevent the entry of harmful substances and microorganisms into the nervous system. On the other hand, as the covering of the most important organ of the body, it acts like an elastic helmet (remember that death takes place when the brain ceases to function). The cerebrospinal liquid, a transparent fluid that acts like a shock absorber, circulates within the meninges.



## MAP OF THE BRAIN




## Spinal Medulla

The spinal medulla is the spinal cord, which goes from the cephalic trunk to the lumbar region. Together with the brain it forms the central nervous system. It can reach a length of 18 inches (45 cm). It is composed of gray and white matter. The gray matter is located in its core, in tissue consisting essentially of neurons.

Surrounding the gray matter is white matter that contains the nerve fibers that transmit signals to and from the brain. The spinal nerves extend outward from the medulla to the body and its extremities. Paralysis in one or more parts of the body can result if the spinal cord is damaged.

## Gray and White Matter

The so-called gray matter, located in the cerebral cortex and in the spinal column, consists of groups of neuronal cells. White matter, on the other hand, consists primarily of myelin-sheathed axons or nerves that extend from the neuron cell bodies. The fatty layers of myelin allow for an increase in the transmission speed of nerve impulses.




# Peripheral Nerves

The peripheral nerves have the task of bringing information to and from the brain and spinal column. Depending on their location, they may be cranial or spinal nerves. The sensory fibers in the peripheral nerves receive information from the outside world, the skin, and the internal organs and transmit it to the central nervous system; the motor fibers begin to contract the skeletal muscles and transmit signals in the opposite direction from the sensors. The nerves are located deep in the body, with some exceptions, such as the cubital nerve in the elbow. ●

## Spinal Nerves


There are 31 pairs of spinal nerves that begin at the spinal cord and extend through the spaces between the vertebrae. Each nerve is divided into numerous branches. These nerves control most of the body's skeletal muscles, as well as the smooth muscles and the glands. The cervical nerves serve the muscles of the chest and shoulders. The lumbar nerves serve the abdomen and part of the legs, and the sacral nerves control the rest of the legs and the feet.



## THE THREE RESPONSES

The nerve receptors gather information that goes to the cerebral cortex and to the spinal cord. The response can be automatic, ordering dilation or contraction. Voluntary response implies

a complex nerve path. Reflex responses are simpler; some of them are processed in the brain, but most of them are processed in the spinal cord.




**A AUTOMATIC RESPONSE**  
The impulses, or sympathetic (dilation) or parasympathetic (contraction) response signals, travel over separate pathways.

**B VOLUNTARY RESPONSE**  
The sensory impulses that activate voluntary responses occur in various areas of the brain. The nerve path is complex.


**C REFLEXES**  
Some are processed in the brain, but most of them are processed in the spinal cord, where the impulse is processed and the reply is sent.

## Cranial Nerves


The 12 pairs of cranial nerves extend from the lower part of the brain, as can be seen in the main illustration. Except for the vagus nerve, the cranial nerves control the muscles of the head in the neck region or bring nerve impulses from sense organs, such as the eyes, to the brain. In the case of nerve impulses that come from the eyes, it is the pair of optical nerves that record the sensations from the retina of the eye. The olfactory nerve works the same way for the nose.





**PAIR II**  
Optic nerve. Supplies the retina. Transmits signals, from the photo receptors, perceived as vision.




**PAIR V**  
Trigeminal nerve. Controls the muscles involved in chewing and transmits sensory information from the eyes, the teeth, and the side of the face.



**PAIR VII**  
Facial nerve. Controls the muscles of facial expressions and the salivary and tear glands. Transmits sensory information from the taste buds.



**PAIR I**  
Olfactory nerve. Innervates the internal and upper region of the nose and transmits signals from the olfactory cells that are perceived as the sense of smell.




**PAIR III**  
Oculomotor nerve. Controls the movements of the eye and the eyelid. It changes the shape of the pupil and the lens.

**PAIR IV**  
Trochlear nerve. Controls the oblique muscle above the eye.

**PAIR VI**  
Abducens nerve. The nerve that moves the external lateral rectus muscle of the eye.




**PAIR VIII**  
The cochlear vestibular nerve. Transmits sensory signals from the inner ear, which are perceived as sound; enables equilibrium.




**PAIR IX**  
Glossopharyngeal nerve. Controls the salivary glands and transmits sensory signals from the tongue and the pharynx.

**PAIR XII**  
Hypoglossal nerve. Controls the movements of the tongue.



**PAIR XI**  
Accessory nerve. Its function is to control the muscles involved in swallowing and moving the head.



**PAIR X**  
Vagus nerve. Also called the 10th cranial nerve. Among its other functions, it controls the muscles and glands of various internal organs, such as the heart, the lungs, and the stomach.


# Dream and Memory

To be able to process the information gathered during the day, the brain takes advantage of periodic dream states. During a dream the brain reduces its activities, and its patterns of thought are disconnected from the external world. The passage from consciousness to dreaming (and from dreaming to consciousness) is the task of neurotransmitters, chemical substances that are manufactured and released from the reticular activator system, a regulator in the cephalic talus, which lies in the brain stem. ●

## Formation of Memory


Memory is a set of processes in which unconscious associations are capable of retaining and recording highly varied information. This information can be perceived consciously or unconsciously and ranges from

ideas and concepts to sensations that were previously experienced or processed. Memory has many forms, but the two basic ones are the long-term and short-term memory.




**1 CONNECTION.** An experience triggers a pattern (or model to be repeated), exciting two neurons. To form long-term memory the template that was generated earlier by the short-term memory must be replicated. When a stimulus is received, the neuron reacts, sending an impulse to a neighboring neuron.

**2 LINK FORMATION.** The nerve impulses sent to the neighboring neurons generate a greater capacity for response from the cells that sent the impulses. A temporary union is formed among the cells. In the future, they will be more likely to trigger a nerve impulse together. A neuronal template is beginning to be created.



**3 DEEPER LINKS.** Every time an event is remembered, a nerve impulse is triggered. As a recollection is repeated, the neurons become more solidly connected. Then the neurons begin to send joint impulses, no matter which was excited first. The development of connections is strengthened with repetition or notable or stressful events.

**4 EXPANDING NETWORK.** With successive repetition, different groups of neurons begin to form a neuronal network that represents the long-term memory. The more complex the network, the more accessible and durable the memory will be. Each group of neuronal cells represents a different aspect through which one accesses the complete memory.



## Limbic System


Consists of a complex of structures that wrap around the upper part of the brain stem. These structures control emotions such as annoyance and happiness. They protect us from danger and play an important role in memory formation. For example, the amygdala produces fear when processing danger. The hippocampus permits us to store and remember short-term memories that are brought to the cortex. When the hippocampus is damaged, new memories cannot be incorporated.

## REM

The acronym for Rapid Eye Movement. The eyes move, though the body is stationary.

## Dream Patterns

A pattern is a model that serves as a template, or mold, to obtain the same format. During sleep the two great patterns are REM and NREM, with their four phases. REM sleep is the most enigmatic; it is thought that dreams are produced during REM. During that time the human being lives out an inner experience, generally involuntary, where the mind provides representations of sensations, images, situations, dialogues, sounds, etc.



**PHASE 1**  
Transition between waking and sleeping. The electroencephalograph (EEG), a device that measures cerebral activity, registers alpha waves. The body is relaxed, but if someone disturbs the sleeping person then he or she will wake up.

**PHASE 2**  
Second-phase NREM. The EEG pattern is more irregular. Waking up the person is more difficult.

**PHASE 3**  
Delta waves appear. The vital signs decrease: respiration and the heartbeat slow down, and the body temperature falls.

**PHASE 4**  
Now the dream phase or phase of deep sleep occurs. The delta waves are dominant, and the vital signs drop to minimal levels.

**PHASE REM**  
Rapid Eye Movement. The vital signs increase. The skeletal muscles become inhibited. Dreams enter the scene.

**20 seconds**

THE TIME AFTER WHICH SHORT-TERM MEMORY LOSES INFORMATION (SUCH AS A TELEPHONE NUMBER) THAT HAS NOT BEEN USED

# Glossary

## Acid

Substance that, in solution, increases the concentration of hydrogen ions and combines with bases to form salts.

## Adrenaline

Hormone secreted primarily by the adrenal medulla of the adrenal glands. It constricts blood vessels and is used as a medicine.

## Allele

Gene variant that encodes a trait. One diploid cell contains one allele of each parent for each characteristic.

## Amino Acid

Organic chemical whose molecular composition includes an amino group (derived from ammonia) and a carboxyl group (a radical that characterizes organic acids).

## Antigen

Substance that causes an immune response, such as the production of antibodies, when introduced into the body.

## Aorta

Largest artery in the body, originating in the left ventricle of the heart. Down to the diaphragm it is called the thoracic aorta and then the abdominal or ventral aorta to the point where it branches.

## Aortic Arch

Curve in the aortic artery near its origin at the heart. The arch has the shape of a shepherd's crook.

## Apparatus

Complex of organs that fulfills one function. In the physiology of the human body it is also used as a synonym for system. For example, the digestive apparatus, reproductive apparatus, or respiratory apparatus.

## Artery

Blood vessel that brings blood from the heart to the entire body.

## Arthroscopy

Surgical procedure used by orthopedic surgeons to inspect, diagnose, and treat problems in the joints. It consists of making a small incision and inserting an arthroscope, an instrument the size of a pencil that contains a small lens and a lighting system to magnify and illuminate the interior. The light is transmitted via fiber optics to the end of the arthroscope, and the interior of the joint can be observed via a miniature television camera.

## Articulation

Joint between two bones of the body.

## ATP

Adenosine triphosphate. A molecule produced primarily by mitochondria that functions as the primary energy source for the cells.

## Atrium

The name for each of the two chambers of the heart that receive blood from the veins.

## Basal Metabolism

Activity level of the body functions during rest or while fasting.

## Bones

Rigid structures, rich in calcium, that make up the skeleton.

## Carpal

The structure of the wrist, composed of eight connected bones arranged in two rows. On the side toward the arm it joins with the cubital and radial bones, and on the side toward the hand it joins with the metacarpal bones.

## Cartilage

Flexible skeletal tissue consisting of isolated groups of cells within a collagenous matrix.

## Celiac Artery

Artery that brings blood from the heart to the stomach and the other organs of the abdomen.

## Cellular Membrane

The flexible covering of all living cells, which contains the cytoplasm. It regulates the exchange of water and gases between the cell and its exterior.

## Chromatin

Complex substance in the cell nucleus composed of nucleic acid and proteins.

## Cilium

Tiny hairlike protuberance on a cell with a locomotive function in a liquid medium.

## Coagulation

Organic process in which the blood turns from a liquid to a solid state and whose normal purpose is to stop bleeding.

## Coccyx

Bone formed by the fusion of the last vertebrae. At its base it articulates with the sacral bone. In human beings and other vertebrates that do not have a tail, it is an actual bone.

## Coronal

A name given to the frontal bone, located at the anterior and superior part of the cranium. At birth the frontal bone or coronal is divided into two halves, which fuse over time. In medicine this can also refer to a suture that joins the frontal bone with the two parietal bones.

## Coronary Arteries

A pair of arteries, originating in the aortic artery, that branch out and supply blood to the heart.

## Cortex

The gray material present in most areas of the brain. It is the largest part of the central nervous system. The majority of the most advanced functions occur in the cortex.

## Corticoids

Hormonal steroids produced by the adrenal gland cortex. Corticoids can be produced artificially. They have a therapeutic application as anti-inflammatory drugs.

## Cystoscope

Apparatus used to explore the inner surface of the bladder.

## Cytoplasm

A compartment of eukaryotic cells, bounded by a cellular membrane and the membranes of the cell's organelles.

## Diaphragm

Respiratory muscle between the thorax and the abdomen.

## Digestion

The set of processes through which the digestive system converts food into substances that can be assimilated by the organism.

## Diploid

A cell with two complete sets of chromosomes. It is denoted by the symbol 2n.

## Dislocation

The displacement of any bone from its normal position in a joint.

## DNA

Deoxyribonucleic acid. A double helix molecule containing encoded genetic information.

## Ejaculation

The action of expelling semen.

## Embryo

The result of the fertilization of an ovum by a sperm cell. It can develop to become a mature organism.

## Emulgent Arteries

Arteries that bring blood from the heart to the kidneys, also called renal arteries.

## Endocardium

Membrane that lines the walls of the heart. It consists of two layers: an exterior, consisting of connective tissue, and an interior, of endothelial tissue.

## Endometrium

Mucous membrane covering the inner walls of the uterus.

## Endoplasmic Reticulum

Network of membranes in the cell that are interconnected through the cytoplasm and whose function is the synthesis and assembly of proteins.

## Endothelial

Organic tissue that lines wall-like structures within the body, such as those of the pleura or of blood vessels.

## Enzyme

Protein that helps regulate the chemical processes within a cell.

## Erythropoiesis

The creation of red blood cells, stimulated by the action of a protein called erythropoietin.

## Follicle

Inward fold of the epidermis in the form of a sac, which usually surrounds the base of a hair.

## Gene

Unit of information of a chromosome; it is a sequence of nucleotides in a DNA molecule that fulfills a specific function.

## Gland

Organ that has the function of producing secretions that can be expelled through the skin or mucous membranes (salivary glands or sweat glands, for example) or into the bloodstream (the thyroid, for example).

## Haploid

From the Greek *haplous*, meaning single. A haploid cell has a single set of chromosomes, unlike the diploid cells. Gametes are haploid.

## Hemostatic

Substance or agent that halts hemorrhaging.

## Hippocampus

Part of the brain that governs the memory.

## Holocrine

Gland with an exclusively secretory function or whose secretion consists of disintegrated cells of the gland itself, such as the sebaceous glands.

## Homeostasis

Complex of self-regulatory phenomena that keep the composition and the properties of the body's internal environment constant. It is said that homeostasis is reached when the body's internal environment contains the optimum concentrations of gases, nutrients, ions, and water; when

its temperature is optimum; and when the volume of fluids is optimum for the life of the cells.

## Hormone

The product of the glandular secretion whose function is to stimulate, inhibit, or regulate the action of other glands, systems, or organs of the body.

## Innominate Bones

A pair of bones, one in each hip, which join the sacrum and the coccyx to form the pelvis. They consist of the fusion of the iliac, the ischium, and the pubic bones.

## Lobes

Rounded protuberances of organs, such as the liver, the lungs, or the brain.

## Lysosome

Protein that can break down the constituent substances of the walls of certain bacteria and is, hence, a potent antibacterial.

## Meiosis

Type of cell division in which two successive divisions of the nucleus of a diploid cell create four haploid nuclei. As a result of this mechanism, gametes or spores are produced.

## Meristem

Tissue with cells that produce other cells by cellular division.

## Metabolism

Complex of chemical reactions that take place continuously within cells to synthesize complex substances from simpler substances or to degrade a substance into simpler substances. An example is the digestive process.

## Metacarpal

Middle part of the skeletal structure of the hand, between the wrist (carpal bones) and the phalanges. It consists of five bones, which are the largest bones of the hand.

## Metatarsal

Part of the skeletal structure of the foot, between the tarsus (posterior part of the foot) and the phalanges (toes). It consists of five bones and is usually called the sole of the foot.

## Micturition

Act of urinating, or expelling urine.

## Mitochondria

Organelle that has a double membrane. The final stage of the aerobic respiration process takes place in mitochondria, where ATP is obtained by breaking down sugars and other substances.

## Mitosis

Nuclear division in a cell that forms daughter nuclei identical to the parent.

## Mucous Membrane

Covering of body cavities that communicate with the exterior (such as the nose). A mucous membrane contains numerous single-celled glands that secrete mucus.

## Muscles

Organs composed of fibers capable of contracting.

## Myocardium

Muscular part of the heart, between the pericardium and the endocardium.

## Nucleic Acid

Molecule that carries genetic information about the cell. There are two types: DNA and RNA.

## Nucleus

The part of the cell that contains the DNA with its genetic information.

## Organ

Any part of the body that accomplishes a function.

## Osmosis

Movement of a liquid through a selectively permeable membrane.

## Papillae

Conical protuberances, usually sensory, formed on the skin or mucous membranes (especially the tongue) by the branching of nerves and blood vessels.

## Pericardium

Pair of membranes that surround the heart.

## Phagocytes

Cells found in blood and tissue. They capture bacteria or any other kind of noxious particles and "phagocytize," or "eat," them, absorbing them into their cytoplasm and later digesting them.

## Phalanges

Bones of the fingers and toes. They extend to the metacarpal bones in the hand and the metatarsals in the foot. Starting from the metacarpals and the metatarsals, they are sequentially numbered: first, second, and third phalanges (of each finger or toe). The word "phalanges" commonly designates the first phalanges, or each of the jointed parts of the fingers or toes.

## Physiology

Study of the functions of the organism.

## Polymer

Macromolecule consisting of repeated structural units, called monomers.

## Popliteus

Section of the leg opposed to, or behind, the knee.

## Protein

Substance that makes up the cells. It is a biopolymer consisting of one or several chains of

amino acids, fundamental for the constitution and functioning of living material, such as enzymes, hormones, and antibodies.

## Ranine Artery

Artery that branches out toward the front of the tongue.

## Respiration

The act and effect of inhaling air, primarily through the nose, to take in the substances that the body requires, such as oxygen, and after processing them exhaling unneeded substances, such as carbon dioxide.

## Ribosome

Organelle located in the cytoplasm that governs the formation of proteins based on information provided by the nucleic acids.

## Ribs

Long and curved bones. They originate at the back of the body at the spinal column and curve forward. They are called "true" if they end at the sternum and "false" if they remain floating without completely enclosing the rib cage.

## Schwann Cells

Cells that produce myelin, a fatty insulating substance that prevents electrical signals from losing strength as they move away from the body of the neuron.

## Semen

The spermatozoa and fluids produced in the male genital organs. It is often called sperm.

## Sensation

Physiological process of receiving and recognizing stimuli produced by vision, hearing, smell, taste, touch, or the body's spatial orientation.

## Sleep

State of repose characterized by inactivity or suspension of the senses and voluntary motion.

The cerebral activity called dreaming takes place during sleep.

## Spinal

Relating to the spine.

## Spinal Bulbar

Part of the cerebral trunk that goes from the annular protuberance to the cranium's occipital foramen.

## Spine

The neuroskeletal axis that runs along the medial dorsal of the body and consists of a series of short bones called vertebrae, which are arranged in a column and jointed with each other.

## Sternum

Bone of the anterior thorax, which joins the front of the ribs.

## Striated Muscle

Muscle used for voluntary motion. Its muscle fibers show striations, or grooves.

## Subclavian Arteries

Pair of arteries, one of which branches off from the brachiocephalic trunk (on the right side of the body) and the other from the aortic arc (on the left). They run toward the shoulder on each side and, after passing below the clavicle, become the axillary artery.

## System

Complex of organs that participates in any of the principal functions of the body. A synonym of "apparatus."

## Tarsal

The skeletal structure of the leg between the foot and the metatarsal. It consists of seven bones that constitute the posterior part of the foot.

## Tissue

Group of identical cells that together accomplish a function.

## Uterus

Hollow viscera of the female reproductive system. It is located inside a woman's pelvis. In the uterus, or womb, either menstrual fluid is produced or a fetus develops until it is born.

## Veins

Blood vessels that bring blood from the entire body toward the heart.

## Ventricles

Cavities of the heart that receive blood from their respective atrium (right or left) and pump it through the arteries.

## Viscera

Organs located in the principal cavities of the body (such as the stomach or the liver within the abdominal cavity).

## Vitamins

Organic substances present in food. The body ingests them to ensure the balance of various vital functions. There are different kinds of vitamins, designated with the letters A, B, C, etc.

# Index

## A

abducens nerve, 89  
 ABO blood system, 40  
 accessory nerve, 89  
 Achilles tendon, 31  
 actin filament, muscle fibers, 33  
 active transport, 13  
 Adam's apple, 46  
 adipose cell, 55  
 adrenal gland, 59, 61, 63  
 adrenocorticotropin hormone (ACTH), 62  
 afferent lymphatic vessel, 44  
 agranulocyte, 41  
 alveoli, 46, 48, 49  
 amino acid, protein synthesis, 55  
 amphiarthrose joint, 28  
 amygdala, 90, 91  
 anabolism, 55  
 anaphase (cell division), 15  
 anterior tibia, 31  
 anti-diuretic hormone (ADH), 62  
 antibody, 43  
 antioxidant, 14  
 aortic artery (aorta), 36, 39  
 aortic valve, 39  
 arm  
   bones, 20  
   circulatory system, 36-37  
   joints, 28  
   movement, 32, 33  
   muscles, 30  
 artery, 36-37, 38  
   kidneys, 58, 61  
   knees, 29  
   lungs, 49  
 astrocyte, 85  
 atlas bone, 26, 28  
 axial bone, 21  
 axis bone, 26, 28  
 axon, 32, 84

## B

bacteria, 44, 45  
 basal joint, 28  
 Bernard, Claude, 60  
 bicep muscle, 30, 31  
 bile, 54  
 bladder, 58, 65  
 blood  
   circulation, 16, 36-37  
   components, 40-41  
   glucose level regulation, 54, 55  
   groups, 40  
   oxygenation, 38, 40  
   purification in kidneys, 60  
 bone  
   cell types, 23  
   cervical, 27  
   development, 23  
   fracture repair, 23  
   function, 22  
   lever function, 33  
   skeleton, 20-21  
   structure, 22-23  
   types, 21  
   *See also joint*  
 bone marrow, 22, 40, 43  
 bone shaft, 22, 23  
 Bowman capsule, 61  
 brain, 86-87  
   astrocyte, 85  
   communication, 79  
   cranial nerves, 88-89  
   cranium, 20  
   dream states, 90, 91  
   infant, 9  
   limbic system, 91  
   memory formation, 90, 91  
   neurons, 8-9, 84-85  
   olfactory receptors, 71  
   taste center, 71  
   weight, 9  
 brain cell, 8-9  
 Broca's area, 79, 87

## C

bronchi, 47, 49  
 bronchial tree, 48  
 calcanum (calcaneus), 21, 27  
 calcium, 11, 22, 23  
 callus body, 87  
 capillary, 36, 37, 49  
 carbon, 11  
 cardiac muscle, 30, 31  
   *See also heart*  
 carotid artery, 36  
 carpal bone, 20  
 cell  
   division: *See mitosis*  
   size, 6-7  
   structure, 12-13  
   transport mechanisms, 13  
 cell theory, 12  
 cellular membrane, 13  
 central nervous system, 82, 87  
   brain: *See brain*  
   spinal cord: *See spinal cord*  
 centriole, 13, 15  
 cerebellum (brain), 82, 86, 89, 90  
 cerebral cortex (brain) 9, 86-87, 88  
 cervical vertebra, 26  
 cervix (uterine), 67  
 cheekbone (zygomatic bone), 24-25  
 chemical element, contents of human body, 11  
 chlorine, 11  
 cholesterol, formation, 54  
 chromosome, 14  
 circulatory system, 16, 36-37  
   *See also artery; heart; vein*  
 clavicle, 20  
 clitoris, 67  
 coccyx (tailbone), 21, 26, 27  
 cochlea, 76, 77  
 cochlear vestibular nerve, 89  
 colon, 57  
 color blindness, 75

communication, 78, 79  
 compact bone, 22  
 connective tissue, perineurium, 32  
 cornea, 74, 75  
 cortisol, 62  
 cranial nerve, 88-89  
 cranium, 20  
   muscles, 33  
   sinuses, 25  
 cubital nerve, 83  
 cubitum, 20  
 cytology, 12  
 cytoplasm, 12, 13  
 cytoskeleton, 12

## D

Da Vinci, Leonardo, 20  
 deltoid muscle, 30  
 dendrite, 8, 84  
 diaphragm, 47, 48  
 diaphysis (bone), 22, 23  
 diarthrose joint, 28  
 diastolic: *See heartbeat*  
 dieting, muscle loss, 30  
 diffusion (cell), 13  
 digestive system, 17  
   digestive process, 51  
   intestine: *See intestine*  
   liver, 54-55  
   overview, 50  
   pancreas, 54, 55  
   peristalsis, 53  
   spleen, 42, 55  
   stomach, 51, 52-53  
 disease, 45  
 DNA, 13  
 dorsal vertebra, 26  
 dreaming, 90, 91

## E

ear, 76, 77  
   cranial nerves, 89  
 efferent lymphatic vessel, 45  
 ellipsoid joint, 28  
 endocrine system, 17, 62-63  
   hypothalamus, 10, 86  
   pancreas, 55  
   *See also hormone*  
 endoplasmic reticulum, 12, 13  
 enzyme  
   digestive process, 50  
   pancreatic juice, 55  
 epididymis, 65  
 epiglottis, 46  
 epiphysis (bone), 23  
 equilibrium, 77  
   cerebellum, 86  
 esophagus, 50, 52  
 estrogen, 62, 63  
   menstrual cycle, 66  
 ethmoid bone, 24-25  
 excrement, 10, 51  
 eye, 74-75  
   brain, 79, 87  
   cranial nerves, 88, 89  
   muscles, 30  
   sleep, 91

## F

face  
   bones, 24-25  
   cranial nerves, 88, 89  
   muscles, 30, 31  
   nonverbal communication, 79  
 facial nerve, 88  
 facilitated diffusion (cell), 13  
 fallopian tube, 66, 67  
 farsightedness (hyperopia), 75  
 fascicle, muscle fibers, 32

fat, storage, 55  
 female  
   menopause, 67  
   menstrual cycle, 66  
   milk production, 62  
   pelvis, 21  
   reproductive system, 16, 67  
   sexuality, 63  
   skin, 73  
   urinary system, 59  
 femur (thigh bone), 20, 21  
   artery, 29  
   vein, 37  
 fiber: *See muscular fiber*  
 fibula, 21, 29  
 finger, 20  
   *See also hand*  
 flat bone, 21  
 follicle-stimulating hormone (FSH), 62, 66  
 fontanel, 24  
 food, 17  
   digestive process, 50-51, 52, 56-57  
   source of water, 10  
 foot  
   articulation, 28  
   bones, 27  
   movement, 33  
   muscles, 31  
   nerves, 83  
   toenails, 73  
 foramen magnum, cranium, 24  
 fracture, repair, 23  
 free radical, 14  
 frontal bone, 24-25  
 frontal lobe (brain), 87, 89  
 frontal muscle, 30  
 frowning, 31, 79  
 fusion, bones, 23

## G

gallbladder, 54  
 gastrocnemius, 31

glomerulus, 58, 61  
 glosso-pharyngeal nerve, 89  
 gluteus maximus, 31  
 glycogen, storage, 54, 55  
 Golgi apparatus, 12  
 goose bump, 73  
 granulocyte, 41  
 gray matter (brain), 87  
 growth hormone (GH), 62  
 growth plate, 23  
 gustatory papilla, 70

## H

hair, temperature regulation, 73  
 hand  
   bones, 20, 27  
   fingernails, 73  
   joints, 28  
   nerves, 83  
   touch, 9  
 Havers conduit, bony tissue, 22  
 Hayflick, Leonard, 15  
 Hayflick limit (cell longevity), 15  
 head  
   bone structure, 24-25  
   circulatory system, 36  
   movement, 33  
   muscles, 30  
 hearing, 76, 77  
 heart, 36, 38-39  
   cardiac muscle, 31  
   valves, 39  
 heartbeat, 38  
 hematosis, 49  
 herniated disc, 26  
 hippocampus, 90, 91  
 homeostasis, 17, 58  
 Hooke, Robert, 12  
 hormone, 17, 62  
   digestive process, 50  
   menstrual cycle, 66  
   *See also* endocrine system; pheromone

humerus, 20, 28  
 hydrogen, 11  
 hypermobility, 28  
 hyperopia (farsightedness), 75  
 hypoglossal nerve, 89  
 hypophysis: *See* pituitary gland  
 hypothalamus, 10, 86

## I

ilium, 20  
 immune system, 43, 44  
   spleen, 55  
   *See also* lymphatic system; white blood cell  
 infant  
   bones, 23  
   brain development, 8-9  
   cranium, 24  
 inferior maxillary, 20, 25  
 inferior vena cava, 36, 59  
 insulin, 11, 55  
 interphase (cell division), 14  
 intestinal mucosa, 44  
 intestine, 51, 56-57  
   duodenum, 52, 54  
 iodine, 11  
 iris, 74  
 iron, 11  
 irregular bone, 21

## J

jaw bone, 20  
 joint, 28-29  
   lever function, 33  
   noise, 29  
 jugular vein, 36

## K

kidney, 58, 59, 60-61  
   Bowman capsule, 61  
   nephrons, 61  
   renal vein, 36  
 kissing, hormone stimulation, 63  
 knee  
   articulation, 28  
   joint, 29  
 kneecap (patella), 21, 29

## L

lachrymal bone, 24-25  
 lachrymal gland, 44  
 larynx, 46, 47  
 leg  
   bones, 21  
   circulatory system, 36-37  
   knee: *See* knee  
   muscles, 31  
   nerves, 83  
 lens (eye), 74  
 Leonardo da Vinci, 20  
 leukocyte, 41  
 ligament, knee, 29  
 limbic system, 91  
 liver, 54-55  
 long bone, 21  
 lumbar vertebra, 27  
 lung, 47, 48-49  
   circulatory system, 36, 38  
 luteinizing hormone (LH), 62, 63, 66  
 lymphatic system, 16, 42-43  
   lymph nodes, 44-45  
   lymphocytes, 45  
 lysosome, 12

## M

macrophage, 45-46  
 magnesium, 11  
 male  
   hormones, 62  
   pelvis, 21  
   reproductive system, 17, 64-65  
   skin, 73  
   urinary system, 59  
 master gland: *See* pituitary gland  
 melanocyte-stimulating hormone (MSH), 62  
 memory formation, 90, 91  
 men: *See* male  
 menarche, 67  
 meninges, 86, 87  
 meniscus, 29  
 menopause, 67  
 menstrual cycle, 66  
 metabolism, 55  
 metacarpal bone, 20  
 metaphase (cell division), 14  
 metatarsal bone, 21  
 milk, production, 62  
 mitochondria, 13  
 mitosis, 6-7, 12, 14-15  
 mitral valve, 39  
 mouth  
   digestive function, 50, 51  
   sound production, 78  
   swallowing, 52  
 mucous secretion, 44  
 muscle  
   function: *See* muscular fiber  
   movement, 30, 87  
   types, 31  
 muscular fiber, 32-33  
   glycogen storage, 55  
 muscular system, 17, 30-31  
 musculoskeletal system, 18-19, 30  
   *See also* muscular system; skeletal system  
 myelin sheath, 84  
   oligodendrocytes, 85  
 myofibril, muscle fibers, 33

myopia (nearsightedness), 75  
 myosin filament, muscle fibers, 33

## N

nails, 73  
 nasal concha, 24-25  
 nasal fossa,  
   olfactory nerve, 71  
   sensations, 9  
 nearsightedness (myopia), 75  
 neck, bones, 28  
 nephron, 60, 61  
 nervous system, 16, 82-83  
   brain: *See* brain  
   neuron: *See* neuron  
   pain signals, 83  
   spinal column, 20, 26-27  
   spinal cord, 87  
 neuromuscular union, 85  
 neuron, 8-9, 84-85, 86  
   dendrites, 8, 84  
   microscope photograph, 80-81  
 neurotransmitter, 9, 85  
 nitrogen, 11  
 nonverbal communication, 78, 79  
 nose  
   bones, 24-25  
   cranial nerves, 88, 89  
   nasal fossa, 9, 71  
   olfactory cells, 70  
   sound production, 78  
 NREM (non-rapid eye movement) sleep, 91  
 nucleole, 13  
 nucleus, 12, 13

## O

oblique muscle, 30  
 occipital bone, 20, 24-25  
 occipital lobe (brain), 86

occipital muscle, 30  
 oculomotor nerve, 89  
 olfactory cell, 70  
 olfactory nerve, 71, 89  
 oligodendrocyte, 85  
 optic nerve, 88  
 orbicular muscle, 30  
 organ of Corti, 76  
 osteoblast, 23  
 osteoclast, 23  
 ovary, 66, 67  
 ovulation, 66  
 ovum, 66, 67  
 oxygen, 11, 40  
 oxytocin, 62, 63

## P

pain signal, 83  
 palatine, 24-25  
 pancreas, 11, 54, 55, 63  
 parietal bone, 24  
 patella (kneecap), 21, 29  
 pathogen, types, 45  
 pectoralis major, 30  
 pedis, 31  
 pelvis, 20, 67  
   joint, 21  
 penis, 59, 64, 65  
 periosteum, 22, 23  
 peripheral nervous system, 82, 88-89  
 peristalsis, digestive system, 51, 53  
 peroxisome (organelle), 13  
 perspiration: *See* sweat; sweat gland  
 Peyer's patch, 42  
 phalange, 20, 21  
 pharynx, 47, 50  
 pheromone, 63  
 phosphorus, 11  
 photosensitive cell, 75  
 pituitary gland, hormones, 62, 63  
 plane, 28  
 plasma, 41

plasma membrane: *See* cellular membrane  
 platelet, 41  
 popliteal artery, 29  
 pore (cell), 13  
 potassium (K), 11  
 pregnancy, 66, 67  
 progesterone, menstrual cycle, 66  
 prolactin, 62  
 prophase (cell division), 14  
 prostate gland, 65  
 protein, 11  
   metabolism, 12, 54  
   synthesis, 55  
 protozoa, pathogens, 45  
 pulmonary artery, 48  
 pulmonary valve, 39  
 pylorus, 52

## Q-R

quadriceps, 31  
 radius, 20, 28  
 Ranvier's node, 84  
 rapid eye movement (REM) sleep, 91  
 rectus abdominis, 30  
 red blood cell, 40  
 REM sleep, 91  
 renal vein, 36  
 reproductive system  
   female, 16, 66-67  
   hormones, 62  
   male, 17, 64-65  
 respiration, 9, 46  
   process, 46-47, 48  
 respiratory system, 17, 46-47  
   *See also* lung  
 retina, 74, 75  
 Rh factor, 40  
 rib cage, 20, 26  
 ribosome, 12  
 rough endoplasmic reticulum, 12

## S

sacroiliac joint, 21  
 sacrum, 20, 26, 27  
 salivary gland, 44, 70  
 salt: *See* sodium  
 sarcomere, muscle fibers, 33  
 Schleiden, Mathias, 12  
 Schwann, Theodor, 12  
 Schwann cell, 84  
 sciatic nerve, 83  
 sclera, 75  
 sebaceous gland, 44, 73  
 sensation: *See* hearing; smell; taste; touch;  
   vision  
 septum, 39  
 sesamoid bone, 21  
 sexual attraction, 63  
 short bone, 21  
 shoulder, articulation, 28  
 sight, 74-75  
 sinus cavity, 25  
 skeletal system (skeleton), 16  
   structure, 20-21  
   *See also* joint; musculoskeletal system  
 skin, 9, 44, 72-73, 87  
   cellular division, 14  
   melanocyte production, 62  
   wound healing, 45  
 sleep, 91  
 smell, 70, 71, 90  
 smooth endoplasmic reticulum, 13  
 smooth muscle, 30, 31  
 sodium, 11  
 speech, 78, 87  
 speech recognition technology, 24  
 spermatozoa, 64  
 sphenoid bone, 24-25  
 spheroid, 28  
 spinal column, 20, 26-27  
 spinal cord, 26, 82, 87, 88  
 spinal medulla, 87  
 spinal nerve, 88  
 spleen, 42, 43, 55

splenius muscle, 30  
 spongy bone, 22  
 Starling, Ernest, 62  
 sternocleidomastoid muscle, 30  
 sternum, 20, 26  
 stomach, 51, 52-53  
 striated muscle, 17, 30, 31  
 subclavian vein, 42  
 sugar, regulation in blood, 11  
 sulfur, 11  
 superior maxillary, 24-25  
 superior vena cava, 36, 39  
 swallowing, 52  
 sweat, 10, 73  
 sweat gland, 44  
 synapse, 8, 85  
 synaptic node, 84  
 synarthrose joint, 28  
 systole: *See* heartbeat

## T

T cell, 45  
   *See also* lymphatic system  
 tailbone (coccyx), 21, 26, 27  
 Takagi, Kenji, 29  
 tarsal bone, 21  
 taste, 70, 71  
   types, 9  
 technology, speech recognition, 24  
 teeth, structure, 50  
 telophase (cell division), 15  
 temperature regulation, 73  
 temporal artery, 36  
 temporal bone, 24-25  
 temporal lobe (brain), 86, 89, 90  
 temporal vein, 36  
 tendinous cord, 39  
 testicle, 64, 65  
 testosterone, 62, 63, 65  
 thalamus, 86  
 thigh bone: *See* femur  
 thirst, control, 10

thoracic vertebra, 26  
 thumb, joints, 28  
 thymus, 42, 43  
 thyroid-stimulating hormone (TSH), 62  
 tibia, 21, 29  
 toe, nails, 73  
 tongue  
   functions, 50, 51  
   gustatory papillae, 70, 71  
   nervous system, 88  
   sensations, 9  
   sound production, 78  
 tonsils, 42  
 touch, 9, 72-73  
 trachea, 46, 47, 49  
 transport mechanism (cell), 13  
 trapezium muscle, 30  
 triceps muscle, 30  
 tricuspid valve, 39  
 trigeminal nerve, 71, 88  
 trochlear nerve, 89

## U

ureter, 58, 59  
 urethra, 58  
 urinary system, 17, 58-59  
   gender differences, 59  
   kidneys, 60-61  
 urine, 10, 58, 59, 64  
   Bowman capsule, 61  
   production, 60  
 uterus, 66, 67

## V

vacuole, 13  
 vagina, 66, 67  
   bacteria, 44  
 vagus nerve, 82, 89

valve  
   heart, 39  
   lymphatic system, 45  
 vein, 36-37  
   inferior vena cava, 36, 59  
   kidneys, 58, 61  
   lymphatic system, 42  
   superior vena cava, 36, 39  
 vertebral column: *See* spinal column  
 vesicle, 13  
 villi (intestine), 57  
 virus, pathogens, 45  
 vision, 74-75, 87  
 vocal cord, 46, 78  
   *See also* speech  
 vomer (bone), 24-25  
 vulva, 66

## W-Z

water  
   fluid exchange, 10, 59  
   intake, 10  
   intestines, 56  
 Wernicke's area (brain), 79  
 white blood cell, 41, 45  
 white matter (brain), 87  
 women: *See* female  
 wound healing, 45  
 Z band, muscle fibers, 33  
 zygomatic bone (cheekbone), 24-25



## HUMAN BODY I

Britannica Illustrated  
Science Library



ENCYCLOPEDIA  
Britannica<sup>®</sup>